

NVIDIA cuDNN

Developer Guide | NVIDIA Docs

Table of Contents

Chapter 1. Overview	1
Chapter 2. Core Concepts	2
2.1. cuDNN Handle	2
2.2. Tensors and Layouts	2
2.2.1. Tensor Descriptor	2
2.2.1.1. WXYZ Tensor Descriptor	3
2.2.1.2. 3-D Tensor Descriptor	3
2.2.1.3. 4-D Tensor Descriptor	3
2.2.1.4. 5-D Tensor Descriptor	3
2.2.1.5. Fully-Packed Tensors	4
2.2.1.6. Partially-Packed Tensors	4
2.2.1.7. Spatially Packed Tensors	4
2.2.1.8. Overlapping Tensors	4
2.2.2. Data Layout Formats	4
2.2.2.1. Example Tensor	5
2.2.2.2. Convolution Layouts	6
2.2.2.3. MatMul Layouts	10
2.3. Tensor Core Operations	10
2.3.1. Notes on Tensor Core Precision	11
Chapter 3. Graph API	13
3.1. Key Concepts	13
3.1.1. Operations and Operation Graphs	13
3.1.2. Engines and Engine Configurations	
3.1.3. Heuristics	14
3.2. Graph API Example with Operation Fusion	15
3.2.1. Creating Operation and Tensor Descriptors to Specify the Graph Data	flow 15
3.2.2. Finalizing The Operation Graph	16
3.2.3. Configuring An Engine That Can Execute The Operation Graph	16
3.2.4. Executing The Engine	17
3.3. Supported Graph Patterns	17
3.3.1. Pre-compiled Single Operation Engines	17
3.3.2. Generic Runtime Fusion Engines	22
3.3.2.1. Limitations	24
3.3.2.2. Examples of Supported Patterns	26
3 3 2 3 Operation specific Constraints for the Runtime Fusion Engines	20

3.3.3. Specialized Runtime Fusion Engines	37
3.3.3. Fused Attention fprop	40
3.3.3.4. Fused Attention bprop	44
3.3.3.5. Fused Flash Attention fprop	47
3.3.3.6. Fused Flash Attention bprop	50
3.3.4. Specialized Pre-Compiled Engines	51
3.3.4.6. FP8 Fused Flash Attention	57
3.3.5. Mapping with Backend Descriptors	65
Chapter 4. Legacy API	67
4.1. Convolution Functions	67
4.1.1. Prerequisites	67
4.1.2. Supported Algorithms	67
4.1.3. Data and Filter Formats	68
4.2. RNN Functions	68
4.2.1. Prerequisites	68
4.2.2. Supported Algorithms	68
4.2.3. Data and Filter Formats	69
4.2.4. Features of RNN Functions	69
4.3. Tensor Transformations	72
4.3.1. Conversion Between FP32 and FP16	72
4.3.2. Padding	73
4.3.3. Folding	73
4.3.4. Conversion Between NCHW And NHWC	
4.4. Mixed Precision Numerical Accuracy	74
Chapter 5. Odds and Ends	75
5.1. Thread Safety	75
5.2. Reproducibility (Determinism)	75
5.3. Scaling Parameters	76
5.4. cuDNN API Compatibility	77
5.5. Deprecation Policy	78
5.6. GPU And Driver Requirements	79
5.7. Convolutions	79
5.7.1. Convolution Formulas	79
5.7.2. Grouped Convolutions	81
5.7.3. Best Practices for 3D Convolutions	83
5.7.3.1. Recommended Settings	83
5.7.3.2. Limitations	84
5.8 Environment Variables	84

5.9. SM Carveout	85
Chapter 6. Troubleshooting	87
6.1. Error Reporting And API Logging	87
6.2. FAQs	89
6.3. Support	92
Chapter 7. Acknowledgments	93
7.1. University of Tennessee	93
7.2. University of California, Berkeley	93
7.3. Facebook Al Research, New York	94

List of Figures

Figure 1.	Example with N=1, C=64, H=5, W=4	5
Figure 2.	NCHW Memory Layout	7
Figure 3.	NHWC Memory Layout	8
Figure 4.	NC/32HW32 Memory Layout	9
be the i	Tensor operation with FP16 inputs. The accumulation is in FP32, which could nput for other kernel features (for example, activation/bias, beta blending, e final output in this example would be FP16	. 12
Figure 6.	A set of operation descriptors the user passes to the operation graph	. 16
Figure 7.	The operation graph after finalization	16
Figure 8.	ConvolutionFwd Engine	18
Figure 9.	ConvolutionBwFilter Engine	18
Figure 10.	ConvolutionBwData Engine	18
Figure 11.	NormalizationForward Engine	19
Figure 12.	NormalizationBackward Engine	21
-	Graphical Representation of the Generic Patterns Supported by the Fusion Engines	23
•	This example illustrates the Runtime Fusion Engines with a Single on	26
Figure 15.	ConvolutionFwd Followed by a DAG with Two Operations	27
Figure 16.	ConvolutionFwd Followed by a DAG with Three Operations	. 27
Figure 17.	MatMul Preceded by a DAG with Two Operations	. 27
Convolu	This example illustrates fusion of operations before and after the ationFwd operation. In addition we observe that the output of ationFwd can feed anywhere in g2	. 28
Figure 19.	Values In the Index Tensors	36
Figure 20.	BnAddRelu cuDNN Operation Graph	. 38
Figure 21.	Single Node Multi-GPU Batch Norm	39

Figure 22.	DReluForkDBn cuDNN Operation Graph	40
Figure 23.	Mha-fprop cuDNN Operation Graph	41
Figure 24.	DAGs of cuDNN operations	41
Figure 25.	cuDNN graph depicting DAG:Padding Mask	42
Figure 26.	cuDNN graph depicting DAG:Causal Mask	42
Figure 27.	cuDNN graph depicting DAG:Softmax	42
Figure 28.	cuDNN graph depicting DAG:Dropout	43
Figure 29.	Mha-bprop cuDNN Operation Graph	44
Figure 30.	cuDNN Graph Depicting g5	45
Figure 31.	cuDNN Graph Depicting g6	45
Figure 32.	cuDNN Graph Depicting Mask DAG	46
Figure 33.	cuDNN Graph Depicting dBias DAG	46
Figure 34.	cuDNN Graph Depicting g7	47
Figure 35.	Flash fprop cuDNN Operation Graph	48
Figure 36.	Flash fprop Causal Mask Operation Graph	48
Figure 37.	Flash fprop Softmax Operation Graph	49
Figure 38.	Flash fprop Dropout Operation Graph	49
Figure 39.	Flash bprop cuDNN Operation Graph	51
	ConvBNfprop, A Pre-Compiled Engine, Fuses ConvolutionFwd and GenStats veral Pointwise Operations	
•	DBARCS In The convBNfprop Series For Supporting Fusions Across Skip	53
•	ConvBNwgrad, A Pre-Compiled Engine, Fuses ConvolutionBwFilter With (Optional) Pointwise Operations	54
•	ConvBiasAct, A Pre-Compiled Engine, Fuses ConvolutionFwd With Several se Operations	54
Figure 44.	ConvScaleBiasAct, A Pre-Compiled Engine	55
Figure 45.	DgradDreluBNBwdWeight Pattern For Fusions In The Backward Pass	56

Figure 46.	dBNApply Pattern For Final Gradient Computation	. 57
Figure 47.	FP8 Fused Attention Forward Pass Operation Graph	. 59
Figure 48.	FP8 Fused Attention Backward Pass Operation Graph	62
Figure 49.	Tensor Operation with FP32 Inputs	. 73
Figure 50.	Scaling Parameters for Convolution	. 76
Figure 51.	INT8 for cudnnConvolutionBiasActivationForward	77

List of Tables

Table 1.	Instance Norm, Layer Norm, and RMS Norm For NormalizationForward	19
Table 2.	Instance Norm, Layer Norm, and RMS Norm For NormalizationBackward	21
Table 3.	Limitations to g1	25
Table 4.	Layout Requirements per Pattern	26
Table 5.	Tensor Attributes for all Three Operations	29
Table 6.	Constraints for all Three Operations	29
Table 7.	I/O Tensors Alignment Requirements	29
Table 8.	Batch Size Requirements Per Operation	30
Table 9. archite	Recommended compute type for FP8 tensor computations for Hopper ecture	30
Table 10.	Constraints for MatMul Operations	31
Table 11.	MatMul Alignment Requirements	31
Table 12.	Constraints for Pointwise Operations	31
Table 13.	Constraints for GenStats Operations	32
Table 14.	Constraints for Reduction Operations	33
Table 15.	Supported Reduction Patterns	33
Table 16.	Specific Restrictions for the Downsampling Modes	35
Table 17.	Specific Restrictions for Upsampling Mode CUDNN_RESAMPLE_BILINEAR	35
Table 18.	Specific Restrictions for the Backwards Downsampling Modes Modes	37
Table 19.	Limitations Of Mha-fprop Fusions	43
Table 20.	Limitations Of Mha-bprop Fusions	47
Table 21.	Limitations For The Input And The Output Non-Virtual Tensors	49
Table 22.	Limitations For The bprop Specific Tensors	50
Table 23.	FP8 Fused Attention Forward Pass Input Tensors	60
Table 24.	FP8 Fused Attention Forward Pass Output Tensors	60

Table 25.	FP8 Fused Attention Forward Pass Limitations	60
Table 26.	FP8 Fused Attention Backward Pass Input Tensors	62
Table 27.	FP8 Fused Attention Backward Pass Output Tensors	63
Table 28.	FP8 Fused Attention Backward Pass Limitations	64
Table 29.	Notations and Backend Descriptors	65
Table 30.	Convolution terms	80
Table 31.	Recommended settings while performing 3D convolutions for cuDNN	83
Table 32.	cuDNN backend engines that support SM carveout	85
Table 33.	API Logging Using Environment Variables	89

Chapter 1. Overview

NVIDIA® CUDA® Deep Neural Network Library (cuDNN) is a GPU-accelerated library of primitives for deep neural networks. It provides highly tuned implementations of operations arising frequently in DNN applications:

- ▶ Convolution forward and backward, including cross-correlation
- Matrix multiplication
- Pooling forward and backward
- Softmax forward and backward
- ▶ Neuron activations forward and backward: relu, tanh, sigmoid, elu, gelu, softplus, swish
- Arithmetic, mathematical, relational, and logical pointwise operations (including various flavors of forward and backward neuron activations)
- Tensor transformation functions
- ▶ LRN, LCN, batch normalization, instance normalization, and layer normalization forward and backward

Beyond just providing performant implementations of individual operations, the library also supports a flexible set of multi-operation fusion patterns for further optimization. The goal is to achieve the best available performance on NVIDIA GPUs for important deep learning use cases.

In cuDNN version 7 and older, the API was designed to support a fixed set of operations and fusion patterns. We informally call this the "legacy API". Starting in cuDNN version 8, to address the quickly expanding set of popular fusion patterns, we added a graph API, which allows the user to express a computation by defining an operation graph, rather than by selecting from a fixed set of API calls. This offers better flexibility versus the legacy API, and for most use cases, is the recommended way to use cuDNN.

Note that while the cuDNN library exposes a C API, we also provide an <u>open source C++ layer</u> which wraps the C API and is considered more convenient for most users. It is, however, limited to just the graph API, and does not support the legacy API.

Chapter 2. Core Concepts

Before we discuss the details of the graph and legacy APIs, this section introduces the key concepts that are common to both.

2.1. cuDNN Handle

The cuDNN library exposes a host API but assumes that for operations using the GPU, the necessary data is directly accessible from the device.

An application using cuDNN must initialize a handle to the library context by calling cudnnCreate(). This handle is explicitly passed to every subsequent library function that operates on GPU data. Once the application finishes using cuDNN, it can release the resources associated with the library handle using cudnnDestroy(). This approach allows the user to explicitly control the library's functioning when using multiple host threads, GPUs, and CUDA streams.

For example, an application can use <u>cudaSetDevice</u> (prior to creating a cuDNN handle) to associate different devices with different host threads, and in each of those host threads, create a unique cuDNN handle that directs the subsequent library calls to the device associated with it. In this case, the cuDNN library calls made with different handles would automatically run on different devices.

The device associated with a particular cuDNN context is assumed to remain unchanged between the corresponding <code>cudnnCreate()</code> and <code>cudnnDestroy()</code> calls. In order for the cuDNN library to use a different device within the same host thread, the application must set the new device to be used by calling <code>cudaSetDevice()</code> and then create another cuDNN context, which will be associated with the new device, by calling <code>cudnnCreate()</code>.

2.2. Tensors and Layouts

Whether using the graph API or the legacy API, cuDNN operations take tensors as input and produce tensors as output.

2.2.1. Tensor Descriptor

The cuDNN library describes data with a generic n-D tensor descriptor defined with the following parameters:

- a number of dimensions from 3 to 8
- a data type (32-bit floating-point, 64 bit-floating point, 16-bit floating-point...)
- an integer array defining the size of each dimension
- an integer array defining the stride of each dimension (for example, the number of elements to add to reach the next element from the same dimension)

This tensor definition allows, for example, to have some dimensions overlapping each other within the same tensor by having the stride of one dimension smaller than the product of the dimension and the stride of the next dimension. In cuDNN, unless specified otherwise, all routines will support tensors with overlapping dimensions for forward-pass input tensors, however, dimensions of the output tensors cannot overlap. Even though this tensor format supports negative strides (which can be useful for data mirroring), cuDNN routines do not support tensors with negative strides unless specified otherwise.

2.2.1.1. WXYZ Tensor Descriptor

Tensor descriptor formats are identified using acronyms, with each letter referencing a corresponding dimension. In this document, the usage of this terminology implies:

- all the strides are strictly positive
- ▶ the dimensions referenced by the letters are sorted in decreasing order of their respective strides

2.2.1.2. 3-D Tensor Descriptor

A 3-D tensor is commonly used for matrix multiplications, with three letters: B, M, and N. B represents the batch size (for batch GEMM, set to 1 for single GEMM), M represents the number of rows, and N represents the number of columns. Refer to the CUDNN BACKEND OPERATION MATMUL DESCRIPTOR operation for more information.

2.2.1.3. 4-D Tensor Descriptor

A 4-D tensor descriptor is used to define the format for batches of 2D images with 4 letters: N, C, H, W for respectively the batch size, the number of feature maps, the height and the width. The letters are sorted in decreasing order of the strides. The commonly used 4-D tensor formats are:

- ▶ NCHW
- NHWC
- ► CHWN

2.2.1.4. 5-D Tensor Descriptor

A 5-D tensor descriptor is used to define the format of the batch of 3D images with 5 letters: N, C, D, H, W for respectively the batch size, the number of feature maps, the depth, the height, and the width. The letters are sorted in decreasing order of the strides. The commonly used 5-D tensor formats are called:

- NCDHW
- NDHWC
- CDHWN

2.2.1.5. Fully-Packed Tensors

A tensor is defined as XYZ-fully-packed if, and only if:

- the number of tensor dimensions is equal to the number of letters preceding the fully-packed Suffix
- ▶ the stride of the i-th dimension is equal to the product of the (i+1)-th dimension by the (i+1)-th stride
- the stride of the last dimension is 1

2.2.1.6. Partially-Packed Tensors

The partially XYZ-packed terminology only applies in the context of a tensor format described with a superset of the letters used to define a partially-packed tensor. A WXYZ tensor is defined as XYZ-packed if, and only if:

- ▶ the strides of all dimensions NOT referenced in the -packed suffix are greater or equal to the product of the next dimension by the next stride
- ▶ the stride of each dimension referenced in the -packed suffix in position i is equal to the product of the (i+1)-st dimension by the (i+1)-st stride
- if the last tensor's dimension is present in the -packed suffix, its stride is 1

For example, an NHWC tensor WC-packed means that the c stride is equal to 1 and w stride is equal to c dim x c stride. In practice, the -packed suffix is usually applied to the minor dimensions of a tensor but can be applied to only the major dimensions; for example, an NCHW tensor that is only N-packed.

2.2.1.7. Spatially Packed Tensors

Spatially-packed tensors are defined as partially-packed in spatial dimensions. For example, a spatially-packed 4D tensor would mean that the tensor is either NCHW HWpacked or CNHW HW-packed.

2.2.1.8. Overlapping Tensors

A tensor is defined to be overlapping if iterating over a full range of dimensions produces the same address more than once. In practice an overlapped tensor will have stride[i-1] < stride[i]*dim[i] for some of the i from [1,nbDims] interval.

Data Layout Formats

This section describes how cuDNN tensors are arranged in memory according to several data layout formats.

The recommended way to specify the layout format of a tensor is by setting its strides accordingly. For compatibility with the v7 API, a subset of the layout formats can also be configured through the cudnnTensorFormat t enum. The enum is only supplied for legacy reasons and is deprecated.

2.2.2.1. Example Tensor

Consider a batch of images with the following dimensions:

- N is the batch size; 1
- C is the number of feature maps (that is,, number of channels); 64
- H is the image height; 5
- W is the image width; 4

To keep the example simple, the image pixel elements are expressed as a sequence of integers, 0, 1, 2, 3, and so on. Refer to Figure 1.

Figure 1. Example with N=1, C=64, H=5, W=4

EXAMPLE
N = 1
C = 64
H = 5
W = 4

c = 0				
0	1	2	3	
4	5	6	7	
8	9	10	11	
12	13	14	15	
16	17	18	19	

20	21	22	23
24	25	26	27
28	29	30	31
32	33	34	35
36	37	38	39

•	C = 2				
	40	41	42	43	
	44	45	46	47	
	48	49	50	51	
	52	53	54	55	
	56	57	58	59	

c = 30				
600	601	602	603	
604	605	606	607	
608	609	610	611	
612	613	614	615	
616	617	618	619	

c = 31			
620	621	622	623
624	625	626	627
628	629	630	631
632	633	634	635
636	637	638	639

c = 32			
641	642	643	
645	646	647	
649	650	651	
653	654	655	
657	658	659	
	641 645 649 653	641 642 645 646 649 650 653 654	

1240	1241	1242	1243
1244	1245	1246	1247
1248	1249	1250	1251
1252	1253	1254	1255
1256	1257	1258	1259

c = 62

1260	1261	1262	1263
1264	1265	1266	1267
1268	1269	1270	1271
1272	1273	1274	1275
1276	1277	1278	1279

c = 63

In the following subsections, we'll use the above example to demonstrate the different layout formats.

2.2.2.2. Convolution Layouts


cuDNN supports several layouts for convolution, as described in the following sections.

2.2.2.2.1. NCHW Memory Layout

The above 4D tensor is laid out in the memory in the NCHW format as below:

- 1. Beginning with the first channel (c=0), the elements are arranged contiguously in row-major order.
- 2. Continue with second and subsequent channels until the elements of all the channels are laid out. Refer to Figure 2.
- 3. Proceed to the next batch (if N is > 1).

Figure 2. **NCHW Memory Layout**




2.2.2.2. NHWC Memory Layout

For the NHWC memory layout, the corresponding elements in all the C channels are laid out first, as below:

1. Begin with the first element of channel 0, then proceed to the first element of channel 1, and so on, until the first elements of all the C channels are laid out.

- 2. Next, select the second element of channel 0, then proceed to the second element of channel 1, and so on, until the second element of all the channels are laid out.
- 3. Follow the row-major order of channel 0 and complete all the elements. Refer to Figure 3.
- 4. Proceed to the next batch (if N is > 1).


Figure 3. NHWC Memory Layout



2.2.2.3. NC/32HW32 Memory Layout

The NC/32HW32 is similar to NHWC, with a key difference. For the NC/32HW32 memory layout, the 64 channels are grouped into two groups of 32 channels each - first group consisting of channels c0 through c31, and the second group consisting of channels c32 through c63. Then each group is laid out using the NHWC format. Refer to Figure 4.

Figure 4. NC/32HW32 Memory Layout



For the generalized NC/xHWx layout format, the following observations apply:

- ▶ Only the channel dimension, c, is grouped into x channels each.
- \blacktriangleright When x = 1, each group has only one channel. Hence, the elements of one channel (that is, one group) are arranged contiguously (in the row-major order), before proceeding to the next group (that is, next channel). This is the same as NCHW format.

- \blacktriangleright When x = C, then NC/xHWx is identical to NHWC, that is, the entire channel depth C is considered as a single group. The case x = c can be thought of as vectorizing the entire c dimension as one big vector, laying out all the cs, followed by the remaining dimensions, just like NHWC.
- ▶ The tensor format <u>cudnnTensorFormat</u> t can also be interpreted in the following way: The NCHW INT8x32 format is really N \times (C/32) \times H \times W \times 32 (32 cs for every W), just as the NCHW INT8x4 format is N \times (C/4) \times H \times W \times 4 (4 cs for every W). Hence the VECT c name - each w is a vector (4 or 32) of cs.

2.2.2.3. MatMul Layouts

As discussed in 3-D Tensor Descriptor, matmul uses 3D tensors, described using BMN dimensions. The layout can be specified through the following strides. The following are two examples of recommended layouts:

- Packed Row-major: dim [B,M,N] with stride [MN, N, 1], or
- Packed Column-major: dim [B,M,N] with stride [MN, 1, M]

Unpacked layouts for 3-D tensors are supported as well, but their support surface is more ragged.

Tensor Core Operations 2.3.

The cuDNN v7 library introduced the acceleration of compute-intensive routines using Tensor Core hardware on supported GPU SM versions. Tensor Core operations are supported beginning with the NVIDIA Volta GPU.

Tensor Core operations accelerate matrix math operations; cuDNN uses Tensor Core operations that accumulate into FP16, FP32, and INT32 values. Setting the math mode to CUDNN TENSOR OF MATH via the cudnnMathType t enumerator indicates that the library will use Tensor Core operations. This enumerator specifies the available options to enable the Tensor Core and should be applied on a per-routine basis.

The default math mode is CUDNN DEFAULT MATH, which indicates that the Tensor Core operations will be avoided by the library. Because the CUDNN TENSOR OF MATH mode uses the Tensor Cores, it is possible that these two modes generate slightly different numerical results due to different sequencing of the floating-point operations.

For example, the result of multiplying two matrices using Tensor Core operations is very close, but not always identical, to the result achieved using a sequence of scalar floating-point operations. For this reason, the cuDNN library requires an explicit user optin before enabling the use of Tensor Core operations.

However, experiments with training common deep learning models show negligible differences between using Tensor Core operations and scalar floating point paths, as measured by both the final network accuracy and the iteration count to convergence. Consequently, the cuDNN library treats both modes of operation as functionally indistinguishable and allows for the scalar paths to serve as legitimate fallbacks for cases in which the use of Tensor Core operations is unsuitable.

Kernels using Tensor Core operations are available for:

- Convolutions
- RNNs
- Multi-Head Attention

For more information, refer to NVIDIA Training with Mixed Precision.

For a deep learning compiler, the following are the key guidelines:


- ▶ Make sure that the convolution operation is eligible for Tensor Cores by avoiding any combinations of large padding and large filters.
- ► Transform the inputs and filters to NHWC, pre-pad channel and batch size to be a multiple of 8.
- Make sure that all user-provided tensors, workspace, and reserve space are aligned to 128-bit boundaries. Note that 1024-bit alignment may deliver better performance.

2.3.1. Notes on Tensor Core Precision

For FP16 data, Tensor Cores operate on FP16 input, output in FP16, and may accumulate in FP16 or FP32. The FP16 multiply leads to a full-precision result that is accumulated in FP32 operations with the other products in a given dot product for a matrix with m \times n \times dimensions. Refer to Figure 5.

For an FP32 accumulation, with FP16 output, the output of the accumulator is down-converted to FP16. Generally, the accumulation type is of greater or equal precision to the output type.

Figure 5. Tensor operation with FP16 inputs. The accumulation is in FP32, which could be the input for other kernel features (for example, activation/bias, beta blending, etc). The final output in this example would be FP16.



Chapter 3. Graph API

The cuDNN library provides a declarative programming model for describing computation as a graph of operations. This graph API was introduced in cuDNN 8.0 to provide a more flexible API, especially with the growing importance of operation fusion.

The user starts by building a graph of operations. At a high level, the user is describing a dataflow graph of operations on tensors. Given a finalized graph, the user then selects and configures an engine that can execute that graph. There are several methods for selecting and configuring engines, which have tradeoffs with respect to ease-of-use, runtime overhead, and engine performance.

The graph API has two entry points:

- NVIDIA cuDNN Backend API (lowest level entry point into the graph API)
- NVIDIA cuDNN Frontend API (convenience layer on top of the C backend API)

We expect that most users prefer the cuDNN frontend API because:

- It is less verbose without loss of control all functionality accessible through the backend API is also accessible through the frontend API.
- It adds functionality on top of the backend API, like errata filters and autotuning.
- It is open source.

In either case (that is, the backend or frontend API), the high level concepts are the same.

Key Concepts

As mentioned previously, the key concepts in the graph API are:

- Operations and Operation Graphs
- **Engines and Engine Configurations**
- Heuristics

Operations and Operation Graphs

An operation graph is a dataflow graph of operations on tensors. It is meant to be a mathematical specification and is decoupled from the underlying engines that can implement it, as there may be more than one engine available for a given graph.

I/O tensors connect the operations implicitly, for example, an operation A may produce a tensor X, which is then consumed by operation B, implying that operation B depends on operation A.

3.1.2. Engines and Engine Configurations

For a given operation graph, there are some number of engines that are candidates for implementing that graph. The typical way to query for a list of candidate engines is through a heuristics query, covered below.

An engine has knobs for configuring properties of the engine, like tile size (refer to cudnnBackendKnobType_t).

3.1.3. Heuristics

A *heuristic* is a way to get a list of engine configurations that are intended to be sorted from the most performant to least performant for the given operation graph. There are three modes:

CUDNN HEUR MODE A

Intended to be fast and be able to handle most operation graph patterns. It returns a list of engine configs ranked by the expected performance.

CUDNN HEUR MODE B

Intended to be more generally accurate than mode A, but with the tradeoff of higher CPU latency to return the list of engine configs. The underlying implementation may fall back to the mode A heuristic in cases where we know mode A can do better.

CUDNN HEUR MODE FALLBACK

Intended to be fast and provide functional fallbacks without expectation of optimal performance.

The recommended workflow is to query either mode A or B and check for support. The first engine config with support is expected to have the best performance.

You can "auto-tune", that is, iterate over the list and time for each engine config and choose the best one for a particular problem on a particular device. The cuDNN frontend API provides a convenient function, <code>cudnnFindPlan()</code>, which does this.

If all the engine configs are not supported, then use the mode fallback to find the functional fallbacks.

Expert users may also want to filter engine configs based on properties of the engine, such as numerical notes, behavior notes, or adjustable knobs. Numerical notes inform the user about the numerical properties of the engine such as whether it does datatype down conversion at the input or during output reduction. The behavior notes can signal something about the underlying implementation like whether or not it uses runtime compilation. The adjustable knobs allow fine grained control of the engine's behavior and performance.

3.2. Graph API Example with Operation Fusion

The following example implements a fusion of convolution, bias, and activation.

3.2.1. Creating Operation and Tensor Descriptors to Specify the Graph Dataflow


First, create three cuDNN backend operation descriptors.

As can be seen in Figure 6, the user specified one forward convolution operation (using CUDNN_BACKEND_OPERATION_CONVOLUTION_FORWARD_DESCRIPTOR), a pointwise operation for the bias addition (using CUDNN_BACKEND_OPERATION_POINTWISE_DESCRIPTOR with mode CUDNN_POINTWISE_ADD), and a pointwise operation for the ReLU activation (using CUDNN_BACKEND_OPERATION_POINTWISE_DESCRIPTOR with mode CUDNN_POINTWISE_RELU_FWD). Refer to the NVIDIA cuDNN Backend API for more details on setting the attributes of these descriptors. For an example of how a forward convolution can be set up, refer to the Setting Up An Operation Graph For A Grouped Convolution use case in the cuDNN backend API.

You should also create tensor descriptors for the inputs and outputs of all of the operations in the graph. The graph dataflow is implied by the assignment of tensors (refer to Figure 6), for example, by specifying the backend tensor Tmp0 as both the output of the convolution operation and the input of the bias operation, cuDNN infers that the dataflow runs from the convolution into the bias. The same applies to tensor Tmp1. If the user doesn't need the intermediate results Tmp0 and Tmp1 for any other use, then the user can specify them to be virtual tensors, so the memory I/Os can later be optimized out.

- Note that graphs with more than one operation node do not support in-place operations (that is, where any of the input UIDs matches any of the output UIDs). Such in-place operations are considered cyclic in later graph analysis and deemed unsupported. In-place operations are supported for single-node graphs.
- Also note that the operation descriptors can be created and passed into cuDNN in any order, as the tensor UIDs are enough to determine the dependencies in the graph.


Figure 6. A set of operation descriptors the user passes to the operation graph



3.2.2. Finalizing The Operation Graph

Second, the user finalizes the operation graph. As part of finalization, cuDNN performs the dataflow analysis to establish the dependency relationship between operations and connect the edges, as illustrated in the following figure. In this step, cuDNN performs various checks to confirm the validity of the graph.

Figure 7. The operation graph after finalization



3.2.3. Configuring An Engine That Can Execute The Operation Graph

Third, given the finalized operation graph, the user must select and configure an engine to execute that graph, which results in an execution plan. As mentioned in <u>Heuristics</u>, the typical way to do this is:

1. Query heuristics mode A or B.

- 2. Look for the first engine config with functional support (or auto-tune all the engine configs with functional support).
- 3. If no engine config was found in (2), try querying the fallback heuristic for more options.

3.2.4. Executing The Engine

Finally, with the execution plan constructed and when it comes time to run it, the user should construct the backend variant pack by providing the workspace pointer, an array of UIDs, and an array of device pointers. The UIDs and the pointers should be in the corresponding order. With the handle, the execution plan and variant pack, the execution API can be called and the computation is carried out on the GPU.

3.3. Supported Graph Patterns

The cuDNN Graph API supports a set of graph patterns. These patterns are supported by a large number of engines, each with their own support surfaces. These engines are grouped into four different classes, as reflected by the following four subsections: pre-compiled single operation engines, generic runtime fusion engines, specialized runtime fusion engines, and specialized pre-compiled fusion engines. The specialized engines, whether they use runtime compilation or pre-compilation, are targeted to a set of important use cases, and thus have a fairly limited set of patterns they currently support. Over time, we expect to support more of those use cases with the generic runtime fusion engines, whenever practical.

Since these engines have some overlap in the patterns they support, a given pattern may result in zero, one, or more engines.


3.3.1. Pre-compiled Single Operation Engines

One basic class of engines includes pre-compiled engines that support an operation graph with just one operation; specifically: ConvolutionFwd, ConvolutionBwFilter, ConvolutionBwData, or ConvolutionBwBias. Their more precise support surface can be found in the NVIDIA cuDNN API Reference.

3.3.1.1. ConvolutionFwd

ConvolutionFwd computes the convolution of X with filter data W. In addition, it uses scaling factors α and β to blend this result with the previous output. This graph operation is similar to $\underline{\text{cudnnConvolutionForward}}$ ().


Figure 8. ConvolutionFwd Engine



3.3.1.2. ConvolutionBwFilter

ConvolutionBwFilter computes the convolution filter gradient of the tensor dy. In addition, it uses scaling factors α and β to blend this result with the previous output. This graph operation is similar to $\underline{\text{cudnnConvolutionBackwardFilter()}}$.


Figure 9. ConvolutionBwFilter Engine



3.3.1.3. ConvolutionBwData

ConvolutionBwData computes the convolution data gradient of the tensor dy. In addition, it uses scaling factors α and β to blend this result with the previous output. This graph operation is similar to $\underline{\text{cudnnConvolutionBackwardData}()}$.


Figure 10. ConvolutionBwData Engine



3.3.1.4. NormalizationForward

NormalizationForward computes the normalization output Y from the input X. This operation is used in both the inference and training phase. The phases are distinguished by the attribute CUDNN ATTR OPERATION NORM FWD PHASE.

Figure 11. NormalizationForward Engine



This operation supports different normalization modes which are set by the attribute <code>CUDNN_ATTR_OPERATION_NORM_FWD_MODE</code>. The dashed lines indicate optional inputs, which are typically used in the batch norm mode of this operation. Currently, instance norm and layer norm are supported via both precompiled and specialized runtime compiled engines while batch norm and RMS norm are supported using specialized runtime compiled engines (refer to <code>BnAddRelu</code>).

Table 1. Instance Norm, Layer Norm, and RMS Norm For NormalizationForward

Node and Other Attributes	Instance Normalization Forward	Layer Normalization Forward	RMS Normalization Forward
operation	normFwd	normFwd	normFwd
X	[N, C, (D), H, W], input, I/O type	[N, C, (D), H, W], input, I/O type	[N, C, (D), H, W], input, I/O type
Mean	[N,C,(1),1,1], output, compute type, only applicable to fmodeCUDNN_NORM_FWD_	[N,1,(1),1,1], output, compute type, only applicable to TEAAGEOGDNN_NORM_FWD_	N/A TRAINING
InvVariance	[N,C,(1),1,1], output, compute type,	[N,1,(1),1,1], output, compute type,	[N,1,(1),1,1], output, compute type,only

Node and Other Attributes	Instance Normalization Forward	Layer Normalization Forward	Forward	
	only applicable to fmodeCUDNN_NORM_FWD_	only applicable to TRAONENCONN_NORM_FWD_	applicable to TRAGNENCONN_NORM_FWD_	
Scale	[1,C,(1),1,1], input, compute type	[1,C,(D),H,W], input, compute type or I/O type depending on the engine used	[1,C,(D),H,W], input, I/ O type	
Bias	[1,C,(1),1,1], input, compute type	[1,C,(D),H,W], input, compute type or I/O type depending on the engine used	Optional (no bias by default)	
Υ	[N, C, (D), H, W], output, I/O type	[N, C, (D), H, W], output, I/O type	[N, C, (D), H, W], output, I/O type	
epsilonDesc	[1,1,1,1], input, constant	[1,1,1,1], input, constant	[1,1,1,1], input, constant	
mode	CUDNN_INSTANCE_NORM	CUDNN_LAYER_NORM	CUDNN_RMS_NORM	
Supported fmode		CUDNN_NORM_FWD_TRAININGDNN_NORM_FWD_TRAININGDNN_NORM_FWD_TRAINCUDNN NORM FWD INFERENCENN FWD INFERENCENN NORM FWD INFERENCENN FWD FWD INFERENCENN FWD FWD INFERENCENN FWD		
Supported layout	NC(D)HW, N(D)HWC	NC(D)HW, N(D)HWC	NC(D)HW, N(D)HWC	
Supported I/O types	FP16, FP32, BF16	FP16, FP32, BF16	FP16, FP32, BF16	
Supported compute type	FP32	FP32	FP32	
Alignment requirements for I/O type	8 bytes aligned	16 bytes aligned	16 bytes aligned	



Note: For each operation, all applicable tensors must have the same layout.

3.3.1.5. NormalizationBackward

NormalizationBackward computes the gradient dx and the scale and bias gradients dScale and dBias. This operation supports multiple modes which are set by the attribute CUDNN_ATTR_OPERATION_NORM_BWD_MODE. The precompiled engines support instance and layer norm backward while batch norm backward is supported by a specialized runtime compiled engine (refer to <u>DReluForkDBn</u>). The mean and variance saved during the forward training pass is passed as input to the NormBackward operation.

Figure 12. NormalizationBackward Engine




Table 2. Instance Norm, Layer Norm, and RMS Norm For NormalizationBackward

Node and Other Attributes	Instance Normalization Backward	Layer Normalization Backward	RMS Normalization Backward
operation	normBwd	normBwd	normBwd
X	[N, C, (D), H, W], input, I/O type	[N, C, (D), H, W], input, I/O type	[N, C, (D), H, W], input, I/O type
Mean	[N,C,(1),1,1], input, compute type	[N,1,(1),1,1], input, compute type	N/A
InvVariance	[N,C,(1),1,1], input, compute type	[N,1,(1),1,1], input, compute type	[N,1,(1),1,1], input, compute type
Scale	[1,C,(1),1,1], input, compute type	[1,C,(D),H,W], input, compute type	[1,C,(D),H,W], input, I/ O type
DY	[N, C, (D), H, W], input, I/O type	[N, C, (D), H, W], input, I/O type	[N, C, (D), H, W], input, I/O type
DX	[N, C, (D), H, W], output, I/O type	[N, C, (D), H, W], output, I/O type	[N, C, (D), H, W], output, I/O type
Dscale	[1,C,(1),1,1], output, compute type	[1,C,(D),H,W], output, compute type	[1,C,(D),H,W], output, I/O type
Dbias	[1,C,(1),1,1], output, compute type	[1,C,(D),H,W], output, compute type	Optional
mode	CUDNN_INSTANCE_NORM	CUDNN_LAYER_NORM	CUDNN_RMS_NORM
Supported layout	NC(D)HW, N(D)HWC	NC(D)HW, N(D)HWC	NC(D)HW, N(D)HWC
Supported I/O types	FP16, FP32, BF16	FP16, FP32, BF16	FP16, FP32, BF16
Supported compute type	FP32	FP32	FP32

Node and Other Attributes	Instance Normalization Backward	Layer Normalization Backward	RMS Normalization Backward
Alignment requirements for I/O type	8 bytes aligned	16 bytes aligned	16 bytes aligned



Note: For each operation, all applicable tensors must have the same layout. Neither mixed I/O types, nor mixed compute types are supported.

3.3.2. Generic Runtime Fusion Engines

The engines documented in the previous section support single-op patterns. Of course, for fusion to be interesting, the graph needs to support multiple operations. And ideally, we want the supported patterns to be flexible to cover a diverse set of use cases. To accomplish this generality, cuDNN has runtime fusion engines that generate the kernel (or kernels) at runtime based on the graph pattern. This section outlines the patterns supported by these runtime fusion engines (that is, engines with CUDNN BEHAVIOR NOTE RUNTIME COMPILATION behavioral note).

We can think of the support surface as covering the follwing generic patterns:

1. ConvolutionFwd fusions

$$g_2(Y = convolutionFwd(X = g_1(inputs), W), inputs)$$

2. ConvolutionBwFilter fusions

$$g_2$$
dw = convolutionBwFilter (dy = g_1 (inputs), X), inputs)

3. ConvolutionBwData fusions

$$g_2 dx = convolutionBwData(dy, W), inputs$$


4. MatMul fusions

$$g_2(C = \text{matmul}(A = g_1(\text{inputs}), B), \text{inputs})$$

5. Pointwise fusions

$$g_{2}$$
(inputs)

Figure 13. Graphical Representation of the Generic Patterns Supported by the Runtime Fusion Engines



g₁ is a directed acyclic graph (DAG) that can consist of zero or any number of the following operation:

- ▶ CUDNN BACKEND OPERATION CONCAT DESCRIPTOR
- ▶ CUDNN BACKEND OPERATION SIGNAL DESCRIPTOR
- CUDNN BACKEND OPERATION_POINTWISE_DESCRIPTOR

g₂ is a DAG that can consist of zero or any number of the following operations:

▶ CUDNN BACKEND OPERATION POINTWISE DESCRIPTOR

- ▶ CUDNN BACKEND OPERATION RESAMPLE FWD DESCRIPTOR
- ▶ CUDNN BACKEND OPERATION RESAMPLE BWD DESCRIPTOR
- ▶ CUDNN BACKEND OPERATION GEN STATS DESCRIPTOR
- ▶ CUDNN BACKEND OPERATION REDUCTION DESCRIPTOR
- ▶ CUDNN BACKEND OPERATION SIGNAL DESCRIPTOR



Note:

- The arrow going into g_2 can go into any of g_2 's nodes and does not necessarily need to feed into a root node.
- The abbreviated notations for operations are used in the diagrams and throughout the text for visualization purposes.

3.3.2.1. Limitations

While the generic patterns listed previously are widely applicable, there are some cases where we do not have full support.

Limitations Common to all Generic Patterns

Limitations to g₁:

- Concatenation or signaling operations, if present, should be before any pointwise operations.
- For compute capability < 8.0, g_1 is not supported.

Limitations to g₂:

- For compute capability < 7.0, g_2 is not supported.
- As specified in the previous section, g₂ can include only Pointwise operations, ResampleFwd, ResampleBwd, GenStats, Signal, and Reduction.
- ► The I/O (that is, non-virtual) tensor data type can be any of {FP32, FP16, BF16, INT8, packed-BOOLEAN}.
- For pointwise operations, non-virtual tensors need to be either all NCHW (or row-major), or all NHWC (or column-major).
- ► The intermediate virtual tensor data type can be any of {FP32, FP16, BF16, INT8, BOOLEAN}, and this intermediate storage type is obeyed by the code-generator. Generally, FP32 is recommended.
- ► The input tensor to a ResampleFwd or ResampleBwd operation should not be produced by another operation within this graph, but should come from global memory.
 - ► The two operations cannot be used in the ConvolutionBwFilter, ConvolutionBwData, and MatMul fusion patterns.
 - Only compute capability >= 7.5 is supported.
- Reduction operations can only be the exit nodes of q₂.

Signaling operations, if present, must be the final nodes in g_2 . Hence, signaling operations cannot be used in conjunction with reduction operations.

Limitations per Generic Pattern

Table 3. Limitations to g_1

	Limitations to g ₁
ConvolutionFwd fusions	Fusion operations on input tensors can be only a chain of three specific pointwise operations, in this exact order: Pointwise:mul, Pointwise:add, and Pointwise:Relu. This specific support is added to realize convolution batch norm fusion use cases.
	All tensors involved can only be FP16.
	Pointwise:mul can only be with a tensor of scalars per channel.
	Pointwise: add can only be a column broadcast.
ConvolutionBwFilter fusions	Same limitations specified for ConvolutionFwd fusions apply here.
ConvolutionBwData fusions	No fusion on input tensors for backward data convolution is supported.
MatMul fusions	 Can be any combination of pointwise operations. Only fusible with operand A, not with B. Operand A should have an FP16 data type. Broadcasted input can have any data type. Compute type is FP32 only.
Pointwise fusions	Not Applicable

Tensor Layout Requirements

Lastly, there are some layout requirements to the I/O tensors involved in fusion graphs. For more information, refer to the <u>Tensor Descriptor</u> and <u>Data Layout Formats</u> sections. The following table describes the requirements per fusion pattern:

Table 4. Layout Requirements per Pattern

Pattern	Layout Requirement
ConvolutionFwd, ConvolutionBwFilter, ConvolutionBwData fusions	All tensors are fully packed NHWC.
MatMul fusions	 Input operands can have either row-major or all column-major. In g₁, the tensor operating with Matrix A (dim[B, M, K]) can be either a scalar with dim[1, 1, 1], a row vector with dim[B, M, 1], a column vector with dim[B, 1, K], or a full
	matrix with dim[B, M, K]. In g ₂ , all I/O tensors should be either all row-major or all column-major.
Pointwise fusions	 If all tensors are 3D, the same layout requirements as matmul g₂. If all tensors are 4D or 5D, the same requirements as ConvolutionFwd, ConvolutionBwFilter, ConvolutionBwData layout.

3.3.2.2. Examples of Supported Patterns


The following sections provide examples of supported patterns, in order of increasing complexity. We employ the same color scheme as in the overall pattern to aid in identifying the structure of g_1 (blue) and g_2 (purple).

For illustration purposes, we abbreviated the operations used. For a full mapping to the actual backend descriptors, refer to the <u>Mapping with Backend Descriptors</u>.

3.3.2.2.1. Single Operation

The following example illustrates a convolution operation without any operations before or after it. This means, g_1 and g_2 , are empty graphs.


Figure 14. This example illustrates the Runtime Fusion Engines with a Single Operation



3.3.2.2.2. Pointwise Operations After Convolution 1

In this example, g_2 consists of a sequential set of two pointwise operations after the convolution.


Figure 15. ConvolutionFwd Followed by a DAG with Two Operations



3.3.2.2.3. Pointwise Operations After Convolution 2

Similar to the previous example, g_2 consists of a sequential set of multiple pointwise operations.


Figure 16. ConvolutionFwd Followed by a DAG with Three Operations



3.3.2.2.4. Pointwise Operations Before Matrix Multiplication

Pointwise operations can also precede a convolution or matrix multiplication, that is, g_1 is composed of pointwise operations.

Figure 17. MatMul Preceded by a DAG with Two Operations




3.3.2.2.5. Convolution Producer Node in Middle of DAG

The following pattern shows g_1 as a DAG of pointwise operations feeding into a convolution. In addition, g_2 is a DAG consisting of two pointwise operations. Note that

the convolution is being consumed in the middle of g_2 as opposed to g_2 's first node. This is a valid pattern.

Figure 18. This example illustrates fusion of operations before and after the <code>ConvolutionFwd</code> operation. In addition we observe that the output of <code>ConvolutionFwd</code> can feed anywhere in <code>g2</code>.



3.3.2.3. Operation specific Constraints for the Runtime Fusion Engines

Every operation in the supported generic patterns of the runtime fusion engines is subject to a few specific constraints regarding their parameter surface. The following subsections document these.

Note that these constraints are in addition to (1) any constraints mentioned in the <u>NVIDIA cuDNN Backend API</u>, and (2) limitations in relation to other operations in the directed acyclic graph (DAG), as mentioned in the <u>Limitations</u> section.

3.3.2.3.1. Convolutions

There are three operation nodes that represent different types of convolutions namely:

${\tt ConvolutionFwd}$

This operation represents forward convolution, that is, computing the response tensor of image tensor convoluted with filter tensor. For complete details on the interface, as well as general constraints, refer to the CUDNN BACKEND OPERATION CONVOLUTION FORWARD DESCRIPTOR section.

ConvolutionBwFilter

This operation represents convolution backward filters, that is, computing filter gradients from a response and an image tensor. For complete details on the interface, as well as general constraints, refer to the CUDNN BACKEND OPERATION CONVOLUTION BACKWARD FILTER DESCRIPTOR Section.

ConvolutionBwData

This operation represents convolution backward data, that is, computing input data gradients from a response and a filter tensor. For complete details on the interface, as well as general constraints, refer to the CONVOLUTION_BACKWARD_DATA_DESCRIPTOR section.

Table 5. Tensor Attributes for all Three Operations

	Input Tensor Attribute Name	Output Tensor Attribute Name	
ConvolutionFwd	CUDNN_ATTR_OPERATION_CONVOL	uqubn <u>rattar</u> pperation_convol	UTION_FORWARD
	CUDNN_ATTR_OPERATION_CONVOL	UTION_FORWARD_W	
ConvolutionBwFilter	CUDNN_ATTR_OPERATION_CONVOL	uqubn <u>bat</u> baqrebation_convol	UTION_BWD_DAT
	CUDNN_ATTR_OPERATION_CONVOL	UTION_BWD_DATA_DY	
ConvolutionBwData	CUDNN_ATTR_OPERATION_CONVOL	UGYBNN_BABTRIQRERABHON_CONVOL	UTION_BWD_FIL
	CUDNN_ATTR_OPERATION_CONVOL	UTION_BWD_FILTER_DY	

The following tables list the constraints for all three operations, in addition to any constraints mentioned in the NVIDIA cuDNN Backend API, and any constraints listed in the Limitations section, in relation to other operations. Note that these additional constraints only apply when these operations are used in the runtime fusion engines.

Table 6. Constraints for all Three Operations

Attribute	Support
CUDNN_ATTR_CONVOLUTION_MODE	CUDNN_CROSS_CORRELATION
CUDNN_ATTR_CONVOLUTION_COMP_TYPE	 For ConvolutionFwd CUDNN_DATA_HALF,CUDNN_DATA_INT32, andCUDNN_DATA_FLOAT For ConvolutionBwDataand ConvolutionBwFilter Only CUDNN_DATA_FLOAT
CUDNN_ATTR_CONVOLUTION_SPATIAL_DIMS	2 or 3
CUDNN_ATTR_OPERATION_CONVOLUTION_BWD_FILT	ER_A£PHA
CUDNN_ATTR_OPERATION_CONVOLUTION_BWD_FILTER_BETA	

Table 7. I/O Tensors Alignment Requirements

Tensor Data Type	Number of input and output channels for NVIDIA Hopper Architecture	Number of input and output channels for NVIDIA Ampere and Ada Lovelace	Number of input and output channels for NVIDIA Volta/Turing Architecture
INT8	Multiple of 4	Multiple of 4	Multiple of 16
FP8	Multiple of 16	N/A	N/A
FP16/BF16	Multiple of 2	Multiple of 2	Multiple of 8
FP32 (TF32)	Any value	Any value	Multiple of 4

Lastly, there are some batch size requirements per operation:

Table 8. Batch Size Requirements Per Operation

Operation	Batch size for FP8 data type on NVIDIA Hopper Architecture	Batch size for other data types
ConvolutionFwd	Any	Any
ConvolutionBwFilter	Multiple of 16	Any
ConvolutionBwData	Multiple of 16	Any

The FP8 data type since Hopper architecture has two variants: CUDNN DATA FP8 E4M3 and CUDNN DATA FP8 E5M2 as I/O data types. Using them as inputs to the operation will result in FP8 Tensor Cores being used. The precision of the accumulation inside the FP8 Tensor Cores is controlled by the compute type, which may have one of two possible values: CUDNN DATA FLOAT and CUDNN DATA FAST FLOAT FOR FP8.

CUDNN DATA FAST FLOAT FOR FP8 is faster and sufficiently accurate for inference or the forward pass of training. However, for FP8 training backward pass computations (that is, computing weight and activation gradients), we recommend choosing the more accurate CUDNN DATA FLOAT compute type to preserve a higher level of accuracy which may be necessary for some models.

Table 9. Recommended compute type for FP8 tensor computations for Hopper architecture

Operation	Recommended I/O type	Recommended compute type
ConvolutionFwd	CUDNN_DATA_FP8_E4M3	CUDNN_DATA_FAST_FLOAT_FOR_FECUDNN_DATA_FLOAT
ConvolutionBwData	CUDNN_DATA_FP8_E4M3	CUDNN_DATA_FLOAT
BatchNorm	CUDNN_DATA_FP8_E4M3	CUDNN_DATA_FLOAT
Pooling	► CUDNN_DATA_FP8_E4M3 ► CUDNN_DATA_FP8_E5M2	CUDNN_DATA_FLOAT
Pointwise	► CUDNN_DATA_FP8_E4M3 ► CUDNN_DATA_FP8_E5M2	CUDNN_DATA_FLOAT

3.3.2.3.2. MatMul

This operation represents matrix-matrix multiplication: A * B = C. For complete details on the interface, refer to the CUDNN BACKEND OPERATION MATMUL DESCRIPTOR Section.

The following two tables list the constraints for MatMul operations, in addition to any general constraints as listed in the NVIDIA cuDNN Backend API, and any constraints listed in the Limitations section, in relation to other operations. Note that these additional constraints only apply when MatMul is used in the runtime fusion engines. Besides the layouts of operand A, B, and C, there must be row major, column major, and row major, respectively, for the INT8 tensor data type.

Table 10. Constraints for MatMul Operations

Attribute	Support
CUDNN_ATTR_MATMUL_COMP_TYPE	CUDNN_DATA_HALF,CUDNN_DATA_INT32, and
	CUDNN_DATA_FLOAT

Table 11. MatMul Alignment Requirements

Tensor Data Type	Number of input and output channels for NVIDIA Hopper architecture	Innermost dimension for NVIDIA Ampere architecture and NVIDIA Ada Lovelace	Innermost dimension for NVIDIA Volta and NVIDIA Turing architecture
INT8	Multiple of 4	Multiple of 4	Multiple of 16
FP8	Multiple of 16	N/A	N/A
FP16/BF16	Multiple of 2	Multiple of 2	Multiple of 8
FP32 (TF32)	Any value	Any value	Multiple of 4

3.3.2.3.3. Pointwise

Represents a pointwise operation that implements the equation Y = op (alpha1 * X) or Y = op (alpha1 * X, alpha2 * B). Refer to the **CUDNN BACKEND OPERATION POINTWISE DESCRIPTOR** and CUDNN BACKEND POINTWISE DESCRIPTOR sections for more information and general constraints.

The following table lists the constraints for pointwise operations, in addition to the general constraints listed above, and any constraints listed in the Limitations section, in relation to other operations. Note that these additional constraints only apply when these operations are used in the runtime fusion engines.

Table 12. **Constraints for Pointwise Operations**

Attribute	Requirement
Tensor data type for CUDNN_ATTR_OPERATION_POINTWISE_XDESC, CUDNN_ATTR_OPERATION_POINTWISE_YDESC	► For any of the logical operators (CUDNN_POINTWISE_LOGICAL_AND, CUDNN_POINTWISE_LOGICAL_OR, and CUDNN_POINTWISE_LOGICAL_NOT), data

Attribute	Requirement
and, if applicable, CUDNN_ATTR_OPERATION_POINTWISE_BDESC	type can be any of CUDNN_DATA_INT32, CUDNN_DATA_INT8, or CUDNN_DATA_BOOLEAN.For all other operators, all data types are supported.
CUDNN_ATTR_POINTWISE_MATH_PREC	 ▶ For any of the logical operators (CUDNN_POINTWISE_LOGICAL_AND, CUDNN_POINTWISE_LOGICAL_OR, and CUDNN_POINTWISE_LOGICAL_NOT), math precision needs to be CUDNN_DATA_BOOLEAN. ▶ For all other operators, only CUDNN_DATA_FLOAT is supported.
CUDNN_ATTR_OPERATION_POINTWISE_ALPHA1	1.0f
CUDNN_ATTR_OPERATION_POINTWISE_ALPHA2	1.0f

3.3.2.3.4. GenStats

The following table lists the constraints for GenStats operations, in addition to the general constraints listed above, and any constraints listed in the <u>Limitations</u> section, in relation to other operations. Note that these additional constraints only apply when GenStats operations are used in the runtime fusion engines.

Table 13. Constraints for GenStats Operations

Attribute	Requirement
Tensor data type for CUDNN_ATTR_OPERATION_GENSTATS_XDESC	 Prior to the NVIDIA Ampere architecture GPU: CUDNN_DATA_HALF On NVIDIA Ampere architecture and later: CUDNN_DATA_HALF and CUDNN_DATA_FLOAT
Tensor shape for CUDNN_ATTR_OPERATION_GENSTATS_SUMDESC and CUDNN_ATTR_OPERATION_GENSTATS_SQSUMDESC	Both should be of shape [1, C, 1, 1] for 2D conv or [1, C, 1, 1, 1] for 3D conv.
Tensor data type for CUDNN_ATTR_OPERATION_GENSTATS_SUMDESC and CUDNN_ATTR_OPERATION_GENSTATS_SQSUMDESC	CUDNN_DATA_FLOAT
CUDNN_ATTR_POINTWISE_MATH_PREC	CUDNN_DATA_FLOAT
Tensor layout for CUDNN_ATTR_OPERATION_GENSTATS_XDESC, CUDNN_ATTR_OPERATION_GENSTATS_SUMDESC	NHWC fully packed

Attribute	Requirement
and	
CUDNN_ATTR_OPERATION_GENSTATS_SQSUMDESC	

3.3.2.3.5. Reduction

This operation represents reducing values of a tensor in one or more dimensions. Refer to the cudnn_backend_operation_reduction_descriptor section for more information and general constraints.

The following two tables are constraints for Reduction forward operations, in addition to the general constraints listed above, and any constraints listed in the <u>Limitations</u> section, in relation to other operations. Note that these additional constraints only apply when Reduction operations are used in the runtime fusion engines.

Table 14. Constraints for Reduction Operations

Attribute	Requirement
Tensor data type for CUDNN_ATTR_OPERATION_REDUCTION_YDESC	CUDNN_DATA_FLOAT
CUDNN_ATTR_REDUCTION_COMP_TYPE	CUDNN_DATA_FLOAT
Tensor layout for CUDNN_ATTR_OPERATION_REDUCTION_XDESC and CUDNN_ATTR_OPERATION_REDUCTION_YDESC	NHWC/NDHWC/BMN fully packed
CUDNN_ATTR_REDUCTION_OPERATOR	CUDNN_REDUCE_TENSOR_ADD, CUDNN_REDUCE_TENSOR_MIN, and CUDNN_REDUCE_TENSOR_MAX

Table 15. Supported Reduction Patterns

	Reduction Pattern	
Reduction Operation	Input	Output
Standalone reduction	[N, C, H, W]	[N, 1, H, W]
operation		[1, C, 1, 1]
		[1, 1, 1, 1]
Reduction fused after	[N, K, P, Q]	[N, 1, P, Q]
convolution fprop		[1, K, 1, 1]
		[1, 1, 1, 1]
Reduction fused after	[N, C, H, W]	[N, 1, H, W]
convolution backward data gradient		[1, C, 1, 1]
		[1, 1, 1, 1]
Reduction fused after convolution backward filter gradient	[K, C, R, S]	[K, 1, 1, 1]
		[1, C, R, S]
		[1, 1, 1, 1]

	Reduction Pattern	
Reduction Operation	Input	Output
Reduction fused after matrix	[B, M, N]	[B, M, 1]
multiplication operation		[B, 1, N]

3.3.2.3.6. ResampleFwd

This operation represents resampling of the spatial dimensions of an image to a desired value. Resampling is supported in both directions, upsampling and downsampling. Downsampling represents the standard operation of pooling, commonly used in convolutional neural networks. Refer to the CUDNN_BACKEND_OPERATION_RESAMPLE_FWD_DESCRIPTOR section for more information and general constraints.

The following are constraints for Resample operations, in addition to the general constraints listed above, and any constraints listed in the <u>Limitations</u> section, in relation to other operations. Note that these additional constraints only apply when Resample forward operations are used in the runtime fusion engines.

We allow a choice amongst four modes for resample. All modes have the following common support specifications:

- Supported layout: NHWC or NDHWC, NCHW or NCDHW
- Spatial dimensions supported: 2 or 3
- Input dimensions supported: 4 or 5
- Packed boolean data type is not supported.
- ▶ If specified, the index tensor dimension should be equal to the response tensor dimension.

When the tensor format is NCHW/NCDHW, the following additional restrictions apply:

- Upsampling is not supported.
- ▶ Int64 t indices are not supported.
- Only supports symmetric padding using the prepadding backend API.

There are some mode specific restrictions also. The following tables list the values that are allowed for particular parameters. For the parameters not listed, we allow any value which is mathematically correct.

The following downsampling modes are supported:

- ▶ CUDNN RESAMPLE AVGPOOL INCLUDE PADDING
- ▶ CUDNN RESAMPLE AVGPOOL EXCLUDE PADDING
- ► CUDNN RESAMPLE MAXPOOL

Table 16. Specific Restrictions for the Downsampling Modes

Attribute	Average Pooling	Max Pooling
CUDNN_ATTR_RESAMPLE_PADDING	MODEN_ZERO_PAD	CUDNN_NEG_INF_PAD
CUDNN_ATTR_OPERATION_RESAMP	LE_GWD_ALPHA	1.0
CUDNN_ATTR_OPERATION_RESAMP	LC.GWD_BETA	0.0
CUDNN_ATTR_RESAMPLE_COMP_TY	PŒUDNN_DATA_FLOAT	CUDNN_DATA_FLOAT

For the upsampling modes, <code>CUDNN_RESAMPLE_NEAREST</code> is not supported for any combination of parameters. <code>CUDNN_RESAMPLE_BILINEAR</code> has the following support specifications.

Table 17. Specific Restrictions for Upsampling Mode

CUDNN RESAMPLE BILINEAR

Attribute	Bilinear
Input dimensions	Equal to 0.5 x output dimensions
CUDNN_ATTR_RESAMPLE_PRE_PADDINGS	0.5
CUDNN_ATTR_RESAMPLE_POST_PADDINGS	1
CUDNN_ATTR_RESAMPLE_STRIDES	0.5
CUDNN_ATTR_RESAMPLE_WINDOW_DIMS	2
Data type for CUDNN_ATTR_OPERATION_RESAMPLE_FWD_XDESC and CUDNN_ATTR_OPERATION_RESAMPLE_FWD_YDESC	CUDNN_DATA_FLOAT
CUDNN_ATTR_RESAMPLE_COMP_TYPE	CUDNN_DATA_FLOAT
CUDNN_ATTR_OPERATION_RESAMPLE_FWD_ALPHA	1.0
CUDNN_ATTR_OPERATION_RESAMPLE_FWD_BETA	0.0
CUDNN_ATTR_RESAMPLE_PADDING_MODE	CUDNN_EDGE_VAL_PAD

3.3.2.3.6.1. Resampling Index Tensor Dump for Training


For max-pooling resampling mode, an index tensor can be provided to be used as a mask for backpropagation.

Values in the index tensors are:

- Zero-indexed row-major position of maximum value of input tensor in the resampling window.
- ▶ In case of multiple input pixels with maximum value, the first index in a left-to-right top-to-bottom scan is selected.

Example of index element selection:

Figure 19. Values In the Index Tensors



Select an appropriate element size for the index tensor. As a reference, any element size such that the maximum zero-indexed window position fits should be sufficient.

3.3.2.3.7. ResampleBwd

This operation represents backward resampling of the spatial dimensions of an output response to a desired value. Resampling is supported in both directions, upsampling and downsampling. Backwards downsampling represents the standard operation of backward pooling, commonly used in convolutional neural networks. Refer to the CUDNN BACKEND OPERATION RESAMPLE BWD DESCRIPTOR section for more information and general constraints.

The following are constraints for Resample backward operations, in addition to the general constraints listed above, and any constraints listed in the Limitations section, in relation to other operations. Note that these additional constraints only apply when Resample backward operations are used in the runtime fusion engines.

We allow a choice amongst four modes for resample. All modes have the following common support specifications:

- Supported layout: NHWC or NDHWC, NCHW or NCDHW
- Spatial dimensions supported: 2 or 3
- Input dimensions supported: 4 or 5

For layout NHWC or NDHWC:

- ▶ The index tensor should be provided for only max pooling mode, and should adhere to the format described in the resampling forward index dump section.
- The index tensor dimensions should be equal to the input gradient tensor dimensions.

For layout NCHW or NCDHW:

- X, Y, and DY are required when max pooling mode is used.
- ▶ Int64 t indices are not supported.

There are some mode specific restrictions also. The following tables list the values that are allowed for particular parameters. For the parameters not listed, we allow any value which is mathematically correct.

The following backward downsampling modes are supported:

- ▶ CUDNN RESAMPLE AVGPOOL INCLUDE PADDING
- ▶ CUDNN RESAMPLE AVGPOOL EXCLUDE PADDING
- ► CUDNN_RESAMPLE_MAXPOOL

Table 18. Specific Restrictions for the Backwards Downsampling Modes

Attribute	Average Pooling	Max Pooling
CUDNN_ATTR_RESAMPLE_PADDING	MODEN_ZERO_PAD	CUDNN_NEG_INF_PAD
CUDNN_ATTR_OPERATION_RESAMP	LE_8WD_ALPHA	1.0
CUDNN_ATTR_OPERATION_RESAMP	LC.6WD_BETA	0.0
CUDNN_ATTR_RESAMPLE_COMP_TY	PŒUDNN_DATA_FLOAT	CUDNN_DATA_FLOAT

Backward upsampling modes are currently not supported.

3.3.3. Specialized Runtime Fusion Engines

The specialized runtime fusion engines target and optimize specialized graph patterns that commonly occur in popular deep learning models. These engines offer limited flexibility regarding supported fusion patterns, supported data types, and supported tensor layouts. Long term, these patterns are expected to be more generic.

The following sections highlight the supported patterns.

3.3.3.1. BnAddRelu


In ResNet-like vision models, batch normalization followed by ReLU activation is a commonly occurring pattern. The ${\tt BNAddRelu}$ fusion pattern, supported using a runtime compiled engine, aims to optimize this recurring operation graph. It also supports single node multi-GPU batch normalization for speeding up batch norm computation in multi-GPU systems. The pattern is intended for use in the forward pass during the training phase. The full pattern ${\tt BNAddRelu}$ with the add node is used in cases where there are skip connections in the model.

The pattern is illustrated in the following diagram and its options and limitations include:

- ▶ The pointwise nodes: Add, Relu, and GT (greater than) are optional.
- All tensors should be in NHWC packed layout format.
- Both 4D and 5D tensors are supported.

- Only ReLU activation is supported.
- The attribute CUDNN ATTR OPERATION NORM FWD MODE for the norm forward operation must be set to CUDNN BATCH NORM.
- The attribute CUDNN ATTR OPERATION NORM FWD PHASE for the norm forward operation must be set to CUDNN NORM FWD TRAINING.
- ▶ The batch norm input tensors: Scale, Bias, Input running mean, and Input running var must be of float data type.
- ▶ The batch norm output tensors: output running mean, output running var, mean, and InvVariance must be of float data type.
- The batch norm input tensor BN x, residual input Z and output tensor Y can be any of {FP32, FP16, BF16} data types. For FP16 and BF16 data types, the channel count C for the tensors must be a multiple of 8 while for float data type the channel count must be a multiple of 4.
- ▶ These patterns are supported on devices with compute capability >= 8.0.

Figure 20. BnAddRelu cuDNN Operation Graph



In case of single node multi-GPU batch norm, each GPU computes the local statistics based on its input data and writes out the local statistics to the peerTensors. Each peerTensor resides on a separate GPU on the node and is used for reading and writing local statistics from the peer GPUs. This is followed by a global stats computation phase where each GPU aggregates the statistics from the peers and computes the global mean and variance for the batch norm output computation on its local data. Apart from the options and limitations listed above, the following additional restrictions apply for using multi-GPU batch norm:

- ▶ The attribute CUDNN ATTR OPERATION NORM FWD PEER STAT DESCS of the NormForward operation must be set.
- The size of the peerTensors vector should be equal to the number of GPUs in the node participating in the batch norm computation.
- The maximum size of the peerTensors vector is 32.

- ▶ Each GPU should operate on the same size of input data [N,C,H,W].
- The size of each peerTensor in the peerTensors vector should be equal to num_gpu * 4 * C where C is the channel count of the BN_x tensor and num_gpu is the number of GPUs in the node participating in the batch norm computation.
- ▶ All the elements of each tensor in the peerTensors vector should be memset to 0 before passing that tensor in the variant pack.




Figure 21. Single Node Multi-GPU Batch Norm

3.3.3.2. DReluForkDBn


Similar to the BnAddRelu pattern, the DReluForkDBn pattern also targets ResNet-like vision networks. It is intended to be used in backpropagation during the training phase. The DReluForkDBn pattern is supported through a runtime compiled engine that usually complements the BnAddRelu pattern. It also supports single node multi-GPU batch normalization for speeding up batch norm backward computation in multi-GPU systems.

The pattern is illustrated in the following diagram and its options and limitations include:

- ▶ The pointwise node dRelu is optional.
- The intermediate tensor dz can be virtual or non-virtual.
- All tensors should be in NHWC packed layout format.
- Both 4D and 5D tensors are supported.
- Only dRelu activation is supported.
- ▶ Bitmask tensor input is needed for the dRelu node.

- ► The attribute CUDNN_ATTR_OPERATION_NORM_BWD_MODE for the norm backward operation must be set to CUDNN BATCH NORM.
- ► The batch norm backward input tensors: Scale, Mean, InvVariance and the output tensors dScale and dBias must be of float data type.
- ▶ dRelu input tensor dY, batch norm backward input BN_x, bias gradient dZ, and output tensor dX can be any of {FP32, FP16, BF16} data types. For FP16 and BF16 data types, the channel count C for the tensors must be a multiple of 8 while for float data type the channel count must be a multiple of 4.
- ▶ These patterns are supported on devices with compute capability >= 8.0.

Figure 22. DReluForkDBn cuDNN Operation Graph




The single node multi-GPU version of this pattern is typically used for dscale and dBias gradient aggregation across GPUs. For using the multi-GPU version, the attribute CUDNN_ATTR_OPERATION_NORM_BWD_PEER_STAT_DESCS of the NormBackward operation must be set. Other restrictions for the peerTensors vector listed in the previous section apply for this pattern as well.

3.3.3.3. Fused Attention fprop

There are two key differences to the flash fused attention patterns described in later sections:

- 1. Input sizes supported contain small sequence lengths (<= 512).
- 2. The operation graph is flexible to switch between different types of masks, different operations between the two matrix multiplications, and so on.


Figure 23. Mha-fprop cuDNN Operation Graph



g₃ can be an empty graph or a single scale operation with the scale being a scalar value (CUDNN_BACKEND_OPERATION_POINTWISE_DESCRIPTOR with mode CUDNN POINTWISE MUL).

 g_4 can be empty or the combination of the following DAGs of cuDNN operations. Each of these DAGs is optional, as shown by the dotted line.

Figure 24. DAGs of cuDNN operations




The combination has to obey the order in which we present them. For example, if you want to use the padding mask and softmax, the padding mask has to appear before softmax.

These operations are commonly used in attention. In the following diagram, we depict how to create a DAG for each of the operations. In later versions, we will be expanding the possible DAGs for g_3 and g_4 .


Padding Mask

Figure 25. cuDNN graph depicting DAG: Padding Mask




Causal Mask

Figure 26. cuDNN graph depicting DAG: Causal Mask




Softmax

Figure 27. cuDNN graph depicting DAG: Softmax



Dropout

Figure 28. cuDNN graph depicting DAG: Dropout



 g_4 is capable of storing an intermediate tensor to global memory marked as s, which can be used for fused multi-head attention <code>bprop</code>. Both <code>DAG:Softmax</code> and <code>DAG:Dropout</code> have this capability. Set s as the output from the last DAG in the graph.

The tensor descriptor marked as s must have the <code>CUDNN_ATTR_TENSOR_REORDERING_MODE</code> set to <code>CUDNN_TENSOR_REORDERING_F16x16</code>. This is because the tensor is stored in a special format and can only be consumed by fused attention <code>bprop</code>.

There is an additional option of generating the mask on the user end and passing it directly to the pointwise multiply. The mask needs to be of I/O data type FP16/BF16 and s will store the mask in the sign bit to communicate to <code>bprop</code>.

Table 19. Limitations Of Mha-fprop Fusions

	Limitations Of Mha-fprop Fusions
MatMul	 Compute type for both MatMul ops must be float. Input tensors must have data type FP16 or BF16. Output tensors must have data type FP16, BF16, or FP32 (TF32).
Pointwise operations in g ₃ and g ₄	Compute type must be FP32 (TF32).
Reduction operations in g ₃ and g ₄	I/O types and compute types must be FP32 (TF32).
RNG operation in g_3 and g_4	 Data type of yTensor must be FP32 (TF32). The CUDNN_TYPE_RNG_DISTRIBUTION must be CUDNN_RNG_DISTRIBUTION_BERNOULLI.

Layout requirements of Mha-fprop fusions include:

- All I/O tensors must have 4 dimensions, with the first two denoting the batch dimensions. The usage of rank-4 tensors in MatMul ops can be read from the NVIDIA cuDNN Backend API documentation.
- The contracting dimension (dimension K) for the first MatMul must be 64.
- The non-contracting dimension (dimensions M and N) for the first MatMul must be less than or equal to 512. In inference mode, any sequence length is functional. For training, support exists only for multiples of 64.
- ► The last dimension (corresponding to hidden dimensions) in Q, V, and O is expected to have stride 1.
- For the K tensor, the stride is expected to be 1 for the 2nd last dimension.
- ▶ The s tensor is expected to have CUDNN ATTR TENSOR REORDERING MODE set to CUDNN TENSOR REORDERING F16x16.

3.3.3.4. Fused Attention bprop

Mha-Bprop fusions are executed in a fused pattern in a single kernel.

$$dV = matmul(g_5(S), dO)$$


 $dS = matmul(dO, V^T)$

$$dQ = matmul(g_6(dS), K)$$

$$dK = matmul(Q, g_7(dS))$$


cuDNN supports the corresponding backpropagation graph for fused attention. This can be used together with the fused attention fprop graph to perform training on models that have similar architectures to BERT and T5. This is not compatible with the flash fused attention bprop operation graph.

Figure 29. Mha-bprop cuDNN Operation Graph




 g_5 , g_6 , and g_7 can only support a fixed DAG. We are working towards generalizing these graphs.

Figure 30. cuDNN Graph Depicting g₅




g₆ represents the backward pass of softmax and masking, to get dP.

Figure 31. cuDNN Graph Depicting g₆




There are options for the Mask DAG that you can opt-in. You can either use the padding/causal mask, general mask as an input, or not do any masking.

Figure 32. cuDNN Graph Depicting Mask DAG



 ${\tt dBias}$ DAG is useful to calculate the ${\tt bprop}$ of the relative positional encoding and is optional and available for you to opt-in.

Figure 33. cuDNN Graph Depicting dBias DAG



 g_7 is the transpose of dP the output of g_6 .

Figure 34. cuDNN Graph Depicting g₇



Table 20. Limitations Of Mha-bprop Fusions

	Limitations Of Mha-bprop Fusions	
MatMul	 Compute type for all MatMul ops must be float. 	
	Input tensors must have data type FP16 or BF16.	
	Output tensors must have data type FP16, BF16, or FP32 (TF32).	
Pointwise operations in g ₅ , g ₆ , and g ₇	Compute type must be FP32 (TF32).	
Reduction operations in g_5 , g_6 , and g_7	I/O types and compute types must be FP32 (TF32).	


Layout requirements of Mha-bprop fusions include:

- ▶ All I/O tensors must have 4 dimensions, with the first two denoting the batch dimensions. The usage of rank-4 tensors in MatMul ops can be read from the NVIDIA cuDNN Backend API documentation.
- ▶ The contracting dimension (dimension K) for the second MatMul must be 64.
- ▶ The contracting dimension (dimension K) for the 1st, 2nd, and 3rd MatMul must be less than or equal to 512 and a multiple of 64.
- ▶ The last dimension (corresponding to hidden dimensions) in Q, K, V, O, and dO is expected to have stride 1.
- ► The s and dp tensors are expected to have CUDNN_ATTR_TENSOR_REORDERING_MODE set to CUDNN TENSOR REORDERING F16×16.

3.3.3.5. Fused Flash Attention fprop

uDNN supports flash fused attention to perform scale dot product attention commonly used in models like GPT, BERT, and so on. The general pattern supported by this engine is BMM-Softmax-BMM with many other optional features that you can opt into. You can choose to create the graph by yourself or use the custom scaled_dot_product_attention_node in cuDNN frontend. Using the frontend node will make opting into the different options like causal mask, dropout, alibi masking, and so on, very easy. c

Figure 35. Flash fprop cuDNN Operation Graph



Pre-softmax optional DAGs cover multiple options for the users to configure:

- pointwise Multiply node for attention scale after the first matmul
- pointwise Add node for the relative positional encoding to add a bias after the first matmul
- ▶ Different masking options like causal masking, padding masking, and alibi masking. Users can choose multiple masking schemes together or no masking.
- pointwise Multiply node that accepts a full tensor that can be used as a custom mask generated by the user

Post-softmax optional DAGs cover multiple options for the users to configure:

- pointwise Multiply node with a RNG node to signify dropout
- pointwise Multiply node with a user generated tensor acting as the dropout mask

All these DAGs are optional. A user can enable them depending on the cuDNN API they are targeting. If using the <code>scaled_dot_product_attention_node</code> in cuDNN frontend, they can set the provided API options to <code>true</code>, for example <code>set_causal_mask(True)</code> and internally, the frontend will add the correct graph automatically. While using the graph API directly, users can add the corresponding graph of the operations they want into the cuDNN graph.

The compound operations for example: Causal Mask, Softmax, and so on, can be represented using the following operation graphs in cuDNN.

Figure 36. Flash fprop Causal Mask Operation Graph




Figure 37. Flash fprop Softmax Operation Graph




Figure 38. Flash fprop Dropout Operation Graph




Table 21. Limitations For The Input And The Output Non-Virtual Tensors

Tensor	Requirements
Q, K^T, and V tensor	All tensors must be either FP16 or BF16 data type.
	Contracting dimension for Q must be a multiple of 8 with maximum value 128
	Non-contracting dimension for v must be a multiple of 8 with maximum value 128.
	► Contracting dimension for Q and K^T needs to have stride 1 in the layout.
	Non-contracting dimension for v needs to have stride 1 in the layout.

Tensor	Requirements
Softmax stats	 Data type must be either FP16 or BF16. Data must be be in row major format.
o tensor	 Data type must be either FP16 or BF16. The stride for the last dimension corresponding to the hidden dim per head should be 1.
Seed and Offset	INT32 or INT64 scalar in host or GPU
Scale to Pointwise	Attention scale can be FP16/BF16/FP32.

Inference mode can be turned on by passing the softmax stats as a virtual tensor and setting the RNG node probability to 0.0f. The pattern is supported for GPUs with NVIDIA Ampere architecture and newer.

3.3.3.6. Fused Flash Attention bprop

cuDNN supports the corresponding backpropagation graph for fused flash attention. This can be used together with the ${\tt fprop}$ graph to perform training on Large Language Models (LLMs).

All the options mentioned in fprop are applicable in the bprop graph as well. The corresponding bprop frontend node contains the same options and can be configured to do the bprop. Users opting in for the graph API, again need to add the graphs of the operations they want. The graph shown below is for a standard attention layer in GPT with causal masking and dropout.


For the input and output tensors, the limitations from the fprop graph are carried over. For the prop specific tensors, the limitations are as follows:

Table 22. Limitations For The bprop Specific Tensors

Tensor	Requirements
dQ, dK, and dv tensor	 All tensors must be either FP16 or BF16 data type. The last dimension corresponding to the hidden dim per head must be a multiple of 8 with maximum value 128. The stride for the last dimension corresponding to the hidden dim per head should be 1.
Softmax Sum	Data type must be FP32.Data must be in row major format.
do tensor	▶ Data type must be either FP16 or BF16.

Tensor	Requirements
	The last dimension corresponding to the hidden dim per head must be a multiple of 8 with maximum value 128.
	► The stride for the last dimension corresponding to the hidden dim per head should be 1.
	► The layout of the tensor is required to be the same as the o tensor.
dqAccum tensor	▶ Data type must be FP32.
	► The tensor must be memset to zero before passing to cuDNN.
	Data must be in row major format.

Figure 39. Flash bprop cuDNN Operation Graph



The pattern is supported for GPUs with NVIDIA Ampere architecture and newer.

3.3.4. Specialized Pre-Compiled Engines

The pre-compiled specialized engines target and optimize for a specialized graph pattern with a ragged support surface. Because of this targeting, these graphs do not require runtime compilation.

In most cases, the specialized patterns are just special cases of the generic patterns used in the runtime fusion engines, but there are some cases where the specialized pattern does not fit any of the generic patterns. If your graph pattern matches a specialized pattern, you will get at least a pattern matching engine, and you might also get runtime fusion engines as another option.


Currently, the following patterns are supported by the pattern matching engines. Some nodes are optional. Optional nodes are indicated by dashed outlines.

3.3.4.1. ConvBNfprop

In Figure 40, the ConvBNfprop pattern is illustrated. Its restrictions and options include:

- The three pointwise nodes scale, bias, and ReLU are optional.
- X, Z, W, s_1, b_1 must all be of FP16 data type.
- ▶ Z needs to be of shape [N, C, H, W] with NHWC packed layout.
- W needs to be of shape [K, C, R, S] with KRSC packed layout.
- s₁, b₁ need to be of shape [1, C, 1, 1] with NHWC packed layout.
- Only ReLU activation is supported.
- All of the intermediate tensors need to be virtual, except Y needs to be non-virtual.
- I/O pointers should be 16 bytes aligned.
- ▶ This pattern is only supported on devices with compute capability >= 8.0 (with the exception of NVIDIA Ada Lovelace architecture, 8.9).
- On devices with compute capability >= 9.0, we only support two patterns:
 - the full pattern: scale + bias + ReLU + Conv + GenStats, and
 - the partial pattern: Conv + GenStats.

Figure 40. ConvBNfprop, A Pre-Compiled Engine, Fuses ConvolutionFwd and GenStats With Several Pointwise Operations




Skip connections are commonly observed in ResNet-like models. To support fusions in skip connections, we support a variant of the pattern above, the DBARCS pattern (short for Dual, Scale, Bias, Add, ReLU, Conv genStats). The limitations and options of the DBARCS pattern include:

- The pointwise dual scale and dual bias nodes are either both present or not. This is indicated by the dashed block encircling the dual scale and dual bias nodes. In case both the nodes are missing, the dual x tensor is directly fed as input to the add node.
- ▶ The pointwise nodes scale, bias, add, and ReLU are required nodes.
- Currently, only supported on Hopper GPUs.
- ▶ For all the other data types, layout and virtualness restrictions of the ConvBNfprop pattern apply to this pattern as well.

- b dual X, dual scale, and dual bias must all be of FP16 data type.
- ▶ dual scale and dual bias must be of shape [1,C,1,1] with NHWC packed layout.
- ▶ Intermediate outputs of the ReLU and Conv nodes: Relu_Y and Y are non-virtual. All the other intermediate outputs are virtual.
- The weight tensor W for the convolution needs to be of shape [K,C,1,1]. Only 1x1 filters with padding 0 are supported for the convolution in the DBARCS pattern.

Figure 41. DBARCS In The convBNfprop Series For Supporting Fusions Across Skip Connections




3.3.4.2. ConvBNwgrad

In Figure 42, the ConvBNwgrad pattern is illustrated. Its restrictions and options include:

- The three pointwise operations are all optional, as indicated by the dashed outlines.
- Only ReLU activation is supported.
- \triangleright X, s₁, b₁, and dy must all be of FP16 datatype.
- I/O pointers should be 16 bytes aligned.
- \triangleright X, s₁, b₁, and dy must all have NHWC packed layouts.
- All the intermediate tensors need to be virtual.
- ► This pattern is only supported on devices with compute capability >= 8.0 (with the exception of NVIDIA Ada Lovelace architecture, 8.9).
- On devices with compute capability >= 9.0, support is restricted to:
 - the full pattern: scale + bias + ReLU + wgrad.

Figure 42. ConvBNwgrad, A Pre-Compiled Engine, Fuses
ConvolutionBwFilter With Several (Optional) Pointwise
Operations




3.3.4.3. ConvBiasAct

In the following figure, the <code>ConvBiasAct</code> pattern is illustrated. Its restrictions and options include:

- \triangleright α_1 and α_2 need to be scalars.
- ▶ The activation node is optional.
- ► The size of the bias tensor should be [1, K, 1, 1].
- ▶ Internal conversions are not supported. That is, the virtual output between nodes need to have the same data type as the node's compute type, which should be the same as the epilog type of the convolution node.
- ► There are some restrictions on the supported combination of data types, which can be found in the API Reference (refer to cudnnConvolutionBiasActivationForward()).

Figure 43. ConvBiasAct, A Pre-Compiled Engine, Fuses ConvolutionFwd With Several Pointwise Operations




3.3.4.4. ConvScaleBiasAct

In the following figure, the <code>ConvScaleBiasAct</code> pattern is illustrated. Its restrictions and options include:

- ho α_1 and α_2 and β_2 should have the same data type/layout and can only be FP32.
- X, W, and Z can only be INT8x4 or INT8x32.
- ▶ The size of the bias tensor should be [1, K, 1, 1].

- Internal conversions are not supported. Meaning, "virtual output" between nodes needs to be the same as their compute type.
- ▶ Currently, Pointwise: ReLU is the only optional pointwise node.

Figure 44. ConvScaleBiasAct, A Pre-Compiled Engine



This pattern is very similar as ConvBiasAct. The difference is that here, the scales α_1 and α_2 are tensors, not scalars. If they are scalars, this pattern becomes a normal ConvBiasAct.

3.3.4.5. DgradDreluBNBwdWeight

In <u>Figure 45</u>, the <code>DgradDreluBNBwdWeight</code> pattern is illustrated. Its restrictions and options include:

- Dgrad input dy and W are of FP16 datatypes.
- ▶ Batch norm fwd inputs, x_bn is of FP16 datatype while the other tensors mean_bn, invstd dev bn, scale bn, and bias bn are FP32.
- ▶ Outputs: dScale, dBias, A,B,C are of FP32 data type.
- All pointers are 16 byte aligned.
- ► This pattern is only supported on devices with compute capability >= 8.0 (with the exception of NVIDIA Ada Lovelace architecture, 8.9).

 ${\tt DgradDreluBNBwdWeight} \ is \ a \ pre-compiled \ engine \ that \ can \ be \ used \ in \ conjunction \ with \ the \ {\tt dBNApply} \ pattern \ to \ compute \ the \ backwards \ path \ of \ batch \ norm.$




Figure 45. DgradDreluBNBwdWeight Pattern For Fusions In The Backward Pass

The BNBwdWeight operation takes in five inputs: X_bn, mean_bn, invstddev_bn, scale_bn, and dy bn (that is, the output from the ReLUBwd node).

It produces five outputs: gradients of the batch norm scale and bias params, dscale, dBias, and coefficients A,B,C. Note that for illustration purposes, the inputs are duplicated. The inputs on the left and right are however exactly the same.

This pattern is typically used in the computation of the Batch Norm Backward Pass.

When computing the backward pass of batch norm, dscale, dBias, and dx_bn are needed. The dscale pattern computes the former two. Using the generated A, B, and C we can use the following dended pattern to compute dx, the input gradient, as follows $dx_bn = A*dy_n + B*X_n + C$.




Figure 46. dbnapply Pattern For Final Gradient Computation

The dBNApply pattern was initially supported by a pre-compiled static engine but is now supported by the generic runtime fusion engine.

Note that the DgradDreluBNBwdWeight pattern is used in combination with the forward pass pattern ConvBNfprop. Because of performance reasons, the output of batch norm Y bn, which was calculated in ConvBNfprop (output of scale-bias), needs to be recalculated by DgradDreluBnBwdWeight. The pointwise add node subtracts mean bn from X bn, hence the alpha2 parameter for that node should be set to -1.

3.3.4.6. FP8 Fused Flash Attention

cuDNN supports fused flash attention with input and output data types being in FP8 format. This FP8-specific graph pattern is supported only on Hopper (H100) GPUs.

Support exists for both training (forward and backward pass) and inference in FP8 format. The training forward pass is slightly different from the inference forward pass regarding whether some intermediate tensors are output or not.

Within the NVIDIA Hopper architecture, there are two new FP8 formats: E4M3 and E5M2. Currently, for forward pass, only when all the inputs and outputs are in E4M3 format is supported. For the backward pass, the support is only when some of the inputs and outputs are in E4M3 and some in E5M2. More general support for the FP8 formats will be added in future releases.

Due to the limited numerical precision of FP8 data type, for practical use cases, you must scale values computed in FP32 format before storing them in FP8 format, and descale the values stored in FP8 format before performing computations on them. For more information, refer to the <u>Transformer Engine FP8 Primer</u>.

The following notation is used in this section.

- b number of batches
- h number of heads

- s maximum length of sequences in a batch
- d embedding dimension size of a word in a sequence

Scaling and Descaling

In the context of FP8, scaling refers to multiplying each element of a FP32 tensor by a quantization factor.

The quantization factor is computed as: (Max representable value in the fp8 format) / (Max absolute value seen in the tensor).

For the E4M3 format, the quantization factor is 448.f/ tensor amax (rounded to the nearest lower power of two).

For the E5M2 format, the quantization factor is 57344.f / tensor amax (rounded to the nearest lower power of two).

The meaning behind scaling is to spawn the full range of the FP8 format when computing on FP8 values and storing FP8 values, thereby, minimizing the precision loss. True values in FP32 format are multiplied by the quantization factor before storing them as scaled values in FP8 format. Computations on scaled values in FP8 format are descaled by multiplying with the dequantization factor to convert them back to their true values in FP32 format.

Scaling and descaling are critical for convergence with the FP8 data type, hence cuDNN only supports graph patterns for FP8 fused attention with the scaling and descaling nodes present.

Unpadded Tensors

In fused flash attention, the length of different sequences in a batch can be different. The cuDNN operation graph supports an unpadded layout where all the sequences of different lengths in a batch are tightly packed. All the word embeddings after the useful length of the sequence are pushed towards the end of all sequences in the layout.

Forward Pass

The following figure shows the cuDNN operation graph for the fused attention forward pass. The same graph supports forward pass for both training and inference. The operation graph pattern is identified as training when M and Zinv tensors are nonvirtual. When M and Zinv tensors are virtual, the operation graph pattern is identified as inference.

The FP8 tensors are expected to be scaled and the matrix multiplication computation is performed on the FP8 tensors in the scaled format. All non matrix multiplication computations are performed in FP32 precision. The output of the FP8 matrix multiplication is converted to real values in FP32 by format multiplying with the descale values.

Reshape Transpose BMM Attention Scale ointwise Scale Descale Q Pointwise Scale Descale K Reduction Max Subtraction Exponentiation Pointwise Zinv Reduction Reciprocal Sum Multiply RNG Reduction **AMax** Pointwise Multiply AMax_S (for next iter) 1/(1-p) Scale Scale S (from prev iter) Pointwise Scale BMM Descale S (from prev iter) Scale Descale V Pointwise Scale Scale O (from prev iter) Pointwise Scale Reduction **AMax** AMax_O (for next iter) ŏ

Figure 47. FP8 Fused Attention Forward Pass Operation Graph

Table 23. FP8 Fused Attention Forward Pass Input Tensors

Tensor Name	Data Type	Dimensions
Q	E4M3	[b, h, s, d]
K	E4M3	[b, h, s, d]
V	E4M3	[b, h, s, d]
Attention Scale	FP32 (by value)	[1, 1, 1, 1]
Descale Q	FP32	[1, 1, 1, 1]
Descale к	FP32	[1, 1, 1, 1]
Descale v	FP32	[1, 1, 1, 1]
Scale s	FP32	[1, 1, 1, 1]
Descale s	FP32	[1, 1, 1, 1]
Scale o	FP32	[1, 1, 1, 1]
RNG Seed	INT64	[1, 1, 1, 1]
RNG Offset	INT64	[1, 1, 1, 1]
Dropout Probability (p) or Keep Probability (1 - p)	FP32	[1, 1, 1, 1]

Table 24. FP8 Fused Attention Forward Pass Output Tensors

Tensor Name	Data Type	Dimensions
0	E4M3	[b, h, s, d]
Amax_O	FP32	[1, 1, 1, 1]
М	FP32 (training only)	[b, h, s, 1]
Zinv	FP32 (training only)	[b, h, s, 1]


Table 25. FP8 Fused Attention Forward Pass Limitations

Item	Requirements
Q, K, and V tensors	 Required to be interleaved. Packing layout is (b,s,3,h,d).
	 Must be in the E4M3 FP8 data type. Can be in an unpadded tightly packed layout. Either Q, K, V, and O can all be unpadded or none.

Item	Requirements
o tensor	 Must be in (b,s,h,d) layout. Must be in the E4M3 format. Can be in an unpadded tightly packed layout. Either Q, K, V, and O can all be unpadded or none.
All virtual tensors	All virtual tensors must be in FP32 format.
Compute precision	The compute precision of all operations must be FP32.
M, Zinv	Must be in FP32 format.Should not be in an unpadded tightly packed layout.
Attention Scale, Quantization (scale) and Dequantization (descale) tensors	Must be in FP32 format.
Match between cuDNN API specifications and passed in device tensors	There is an implicit dependency between specifications done through cuDNN API and device tensors passed in runtime. The execution of the operation graph is undefined when the passed in device tensors do not conform with the API specifications.
Dropout probability for inference (p)	The dropout probability for forward pass inference must be zero.
Embedding dimension size (d)	Embedding dimension size of only 64 is supported.
Maximum sequence length (s)	Maximum sequence length sizes must be a multiple of 64. In addition, maximum sequence lengths sizes up-to only 512 are supported.

Backward Pass

Figure 48. FP8 Fused Attention Backward Pass Operation Graph



FP8 Fused Attention Backward Pass Input Tensors Table 26.

Tensor Name	Data Type	Dimensions
Q	E4M3	[b, h, s, d]
K	E4M3	[b, h, s, d]

Tensor Name	Data Type	Dimensions
V	E4M3	[b, h, s, d]
0	E4M3	[b, h, s, d]
dO	E5M2	[b, h, s, d]
М	FP32	[b, h, s, 1]
Zinv	FP32	[b, h, s, 1]
Attention Scale	FP32 (by value)	[1, 1, 1, 1]
Descale Q	FP32	[1, 1, 1, 1]
Descale к	FP32	[1, 1, 1, 1]
Descale v	FP32	[1, 1, 1, 1]
Scale s	FP32	[1, 1, 1, 1]
Descale s	FP32	[1, 1, 1, 1]
Descale o	FP32	[1, 1, 1, 1]
Descale do	FP32	[1, 1, 1, 1]
Scale ds	FP32	[1, 1, 1, 1]
Descale ds	FP32	[1, 1, 1, 1]
Scale dQ	FP32	[1, 1, 1, 1]
Scale dK	FP32	[1, 1, 1, 1]
Scale dv	FP32	[1, 1, 1, 1]
RNG Seed	INT64	[1, 1, 1, 1]
RNG Offset	INT64	[1, 1, 1, 1]
Dropout Probability (p) or Keep Probability (1 - p)	FP32	[1, 1, 1, 1]

FP8 Fused Attention Backward Pass Output Tensors Table 27.

Tensor Name	Data Type	Dimensions	
dQ	E5M2	[b, h, s, d]	
dK	E5M2	[b, h, s, d]	
dV	E5M2	[b, h, s, d]	
Amax_dQ	FP32	[1, 1, 1, 1]	
Amax_dK	FP32	[1, 1, 1, 1]	
Amax_dV	FP32	[1, 1, 1, 1]	

Tensor Name	Data Type	Dimensions
Amax_dS	FP32 (virtual tensor ds is of E5M2 type)	[1, 1, 1, 1]

Table 28. FP8 Fused Attention Backward Pass Limitations

Item	Requirements	
Q, κ, and v tensors	 Required to be interleaved. The packing layout is (b,s,3,h,d). Must be in the E4M3 FP8 format. Can be in an unpadded tightly packed layout. Either Q, K, V, O, dO, dQ, dK, and dV can all be unpadded or none. 	
dQ, dK, and dv tensors	 Required to be interleaved. The packing layout is (b,s,3,h,d). Must be in the E5M2 FP8 format. Can be in an unpadded tightly packed layout. Either Q, K, V, O, dO, dQ, dK, and dV can all be unpadded or none. 	
o and do tensor	 Must be in (b,s,h,d) layout. Must be in the E4M3 format. Can be in an unpadded tightly packed layout. Either Q, K, V, O, dO, dQ, dK, and dV can all be unpadded or none. 	
All virtual tensors	All virtual tensors must be in FP32 format.	
Compute precision	The compute precision of all operations must be FP32.	
M, Zinv	Must be in FP32 format.Should not be in an unpadded tightly packed layout.	
Attention Scale, Quantization (scale) and Dequantization (descale) tensors	Must be in FP32 format.	

Item	Requirements
Match between cuDNN API specifications and passed in device tensors	There is an implicit dependency between specifications done through cuDNN API and device tensors passed in runtime. The execution of the operation graph is undefined when the passed in device tensors do not conform with the API specifications.
Embedding dimension size (d)	Embedding dimension size of only 64 is supported.
Maximum sequence length (s)	Maximum sequence length sizes must be a multiple of 64. In addition, maximum sequence lengths sizes up-to only 512 are supported.

3.3.5. Mapping with Backend Descriptors

For readability, the operations used in this section are abbreviated. The mapping with the actual backend descriptors can be found in this table:

Table 29. Notations and Backend Descriptors

Notation used in this section Backend descriptor	
Pointwise:scale	CUDNN_BACKEND_OPERATION_POINTWISE_DESCRIPTOR with mode CUDNN_POINTWISE_MUL and with operand B broadcasting into operand X
Pointwise:bias	CUDNN_BACKEND_OPERATION_POINTWISE_DESCRIPTOR with mode CUDNN_POINTWISE_ADD and with operand B broadcasting into operand X
Pointwise:add	CUDNN_BACKEND_OPERATION_POINTWISE_DESCRIPTOR with mode CUDNN_POINTWISE_ADD and with operand B with same dimensions as X
Pointwise:mul	CUDNN_BACKEND_OPERATION_POINTWISE_DESCRIPTOR with mode CUDNN_POINTWISE_MUL and with operand B with same dimensions as X
Pointwise: ReLU	CUDNN_BACKEND_OPERATION_POINTWISE_DESCRIPTOR with mode CUDNN_POINTWISE_RELU_FWD
Pointwise: ReLUBwd	CUDNN_BACKEND_OPERATION_POINTWISE_DESCRIPTOR with mode CUDNN_POINTWISE_RELU_BWD
Pointwise:tanh	CUDNN_BACKEND_OPERATION_POINTWISE_DESCRIPTOR with mode CUDNN_POINTWISE_TANH_FWD
Pointwise:sigmoid	CUDNN_BACKEND_OPERATION_POINTWISE_DESCRIPTOR with mode CUDNN_POINTWISE_SIGMOID_FWD
Pointwise: ELU	CUDNN_BACKEND_OPERATION_POINTWISE_DESCRIPTOR with mode CUDNN_POINTWISE_ELU_FWD

Notation used in this section	Backend descriptor
Pointwise: {ReLU, tanh, sigmoid, ELU}	CUDNN_BACKEND_OPERATION_POINTWISE_DESCRIPTOR with one of the following modes: CUDNN_POINTWISE_RELU_FWD, CUDNN_POINTWISE_TANH_FWD, CUDNN_POINTWISE_SIGMOID_FWD, CUDNN_POINTWISE_SIGMOID_FWD,
MatMul	CUDNN_BACKEND_OPERATION_MATMUL_DESCRIPTOR
ConvolutionFwd	CUDNN_BACKEND_OPERATION_CONVOLUTION_FORWARD_DESCRIPTO
ConvolutionBwFilter	CUDNN_BACKEND_OPERATION_CONVOLUTION_BACKWARD_FILTER_D
ConvolutionBwData	CUDNN_BACKEND_OPERATION_CONVOLUTION_BACKWARD_DATA_DES
GenStats	CUDNN_BACKEND_OPERATION_GEN_STATS_DESCRIPTOR
ResampleFwd	CUDNN_BACKEND_OPERATION_RESAMPLE_FWD_DESCRIPTOR
GenStats	CUDNN_BACKEND_OPERATION_GEN_STATS_DESCRIPTOR
Reduction	CUDNN_BACKEND_OPERATION_REDUCTION_DESCRIPTOR
BnBwdWeight	CUDNN_BACKEND_OPERATION_BN_BWD_WEIGHTS_DESCRIPTOR
NormForward	CUDNN_BACKEND_OPERATION_NORM_FORWARD_DESCRIPTOR
NormBackward	CUDNN_BACKEND_OPERATION_NORM_BACKWARD_DESCRIPTOR
BOOLEAN/packed-BOOLEAN	CUDNN_DATA_BOOLEAN: As described in the NVIDIA cuDNN API Reference, this type implies that eight boolean values are packed in a single byte, with the lowest index on the right (that is, least significant bit).
	packed-BOOLEAN and BOOLEAN are used interchangeably, where the former is used to emphasize and remind the user about the semantics.
INT8	CUDNN_DATA_INT8
FP8	CUDNN_DATA_FP8_E4M3 Or CUDNN_DATA_FP8_E5M2
FP16	CUDNN_DATA_HALF
BF16	CUDNN_DATA_BFLOAT16
FP32	CUDNN_DATA_FLOAT
TF32	A tensor core operation mode used to accelerate floating point convolutions or matmuls. This can be used for an operation with compute type CUDNN_DATA_FLOAT, on NVIDIA Ampere architecture or later and be disabled with NVIDIA TF32 OVERRIDE=1.

Chapter 4. Legacy API

4.1. Convolution Functions

4.1.1. Prerequisites

For the supported GPUs, the Tensor Core operations will be triggered for convolution functions only when cudnnSetConvolutionMathType() is called on the appropriate convolution descriptor by setting the mathType to <a href="mathCUDNN_TENSOR_OP_MATH OR CUDNN_TENSOR_OP_MATH OR CUDNN TENSOR OP MATH ALLOW CONVERSION.

4.1.2. Supported Algorithms

When the prerequisite is met, the below convolution functions can be run as Tensor Core operations:

- cudnnConvolutionForward()
- cudnnConvolutionBackwardData()
- cudnnConvolutionBackwardFilter()

Refer to the following table for a list of supported algorithms:

Supported Convolution Function	Supported Algos
cudnnConvolutionForward	CUDNN_CONVOLUTION_FWD_ALGO_IMPLICIT_PRECON
	CUDNN_CONVOLUTION_FWD_ALGO_WINOGRAD_NONFUS
cudnnConvolutionBackwardData	CUDNN_CONVOLUTION_BWD_DATA_ALGO_1
	CUDNN_CONVOLUTION_BWD_DATA_ALGO_WINOGRAD_
cudnnConvolutionBackwardFilter	CUDNN_CONVOLUTION_BWD_FILTER_ALGO_1
	CUDNN_CONVOLUTION_BWD_FILTER_ALGO_WINOGRAL

4.1.3. Data and Filter Formats

The cuDNN library may use padding, folding, and NCHW-to-NHWC transformations to call the Tensor Core operations. For more information, refer to <u>Tensor Transformations</u>.

For algorithms other than *_ALGO_WINOGRAD_NONFUSED, when the following requirements are met, the cuDNN library will trigger the Tensor Core operations:

- ▶ Input, filter, and output descriptors (xDesc, yDesc, wDesc, dxDesc, dyDesc and dwDesc as applicable) are of the dataType = CUDNN_DATA_HALF (that is, FP16). For FP32 dataType, refer to Conversion Between FP32 and FP16.
- ▶ The number of input and output feature maps (that is, channel dimension c) is a multiple of 8. When the channel dimension is not a multiple of 8, refer to <u>Padding</u>.
- ▶ The filter is of type cudnn tensor nchw or cudnn tensor nhwc.
- ▶ If using a filter of type CUDNN_TENSOR_NHWC, then the input, filter, and output data pointers (x, y, w, dx, dy, and dw as applicable) are aligned to 128-bit boundaries.

4.2. RNN Functions

4.2.1. Prerequisites

Tensor Core operations are triggered for these RNN functions only when cudnnSetRNNMatrixMathType() is called on the appropriate RNN descriptor setting mathType to CUDNN TENSOR OP MATH OR CUDNN TENSOR OP MATH ALLOW CONVERSION.

4.2.2. Supported Algorithms

When the above prerequisites are met, the RNN functions below can be run as Tensor Core operations:

- cudnnRNNForwardInference()
- cudnnRNNForwardTraining()
- cudnnRNNBackwardData()
- cudnnRNNBackwardWeights()
- cudnnRNNForwardInferenceEx()
- cudnnRNNForwardTrainingEx()
- cudnnRNNBackwardDataEx()
- cudnnRNNBackwardWeightsEx()
- cudnnRNNForward()
- <u>cudnnRNNBackwardData v8()</u>
- cudnnRNNBackwardWeights_v8()

Refer to the following table for a list of supported algorithms:

RNN Function	Support Algos	
All RNN functions that support Tensor Core operations.	CUDNN_RNN_ALGO_STANDARD	
	CUDNN_RNN_ALGO_PERSIST_STATIC	

4.2.3. Data and Filter Formats

When the following requirements are met, then the cuDNN library triggers the Tensor Core operations:

- ► For algo = CUDNN RNN ALGO STANDARD:
 - ▶ The hidden state size, input size, and the batch size is a multiple of 8.
 - All user-provided tensors, workspace, and reserve space are aligned to 128-bit boundaries.
 - ► For FP16 input/output, the CUDNN_TENSOR_OP_MATH or CUDNN TENSOR OP MATH ALLOW CONVERSION is selected.
 - ▶ For FP32 input/output, CUDNN TENSOR OF MATH ALLOW CONVERSION is selected.
- ▶ For algo = CUDNN RNN ALGO PERSIST STATIC:
 - ▶ The hidden state size and the input size is a multiple of 32.
 - ▶ The batch size is a multiple of 8.
 - If the batch size exceeds 96 (for forward training or inference) or 32 (for backward data), then the batch size constraints may be stricter, and large power-of-two batch sizes may be needed.
 - All user-provided tensors, workspace, and reserve space are aligned to 128-bit boundaries.
 - ► For FP16 input/output, CUDNN_TENSOR_OP_MATH or CUDNN TENSOR OP MATH ALLOW CONVERSION is selected.
 - ▶ For FP32 input/output, CUDNN TENSOR OP MATH ALLOW CONVERSION is selected.

For more information, refer to Features of RNN Functions.

4.2.4. Features of RNN Functions

Refer to the following table for a list of features supported by each RNN function.



Note:

For each of these terms, the short-form versions shown in the parenthesis are used in the tables below for brevity: <code>CUDNN_RNN_ALGO_STANDARD</code> (_ALGO_STANDARD), <code>CUDNN_RNN_ALGO_PERSIST_STATIC</code> (_ALGO_PERSIST_STATIC), <code>CUDNN_RNN_ALGO_PERSIST_DYNAMIC</code> (_ALGO_PERSIST_DYNAMIC), and <code>CUDNN_TENSOR_OP_MATH_ALLOW_CONVERSION</code> (_ALLOW_CONVERSION).

Functions	I/O layout supported	Supports variable sequence length in batch	Commonly supported
cudnnRNNForwardInfer	eOnly Sequence major,	Only with	Mode (cell type)
cudnnRNNForwardTrain	packed (non-padded)	_ALGO_STANDARD	supported:CUDNN_RNN_RE
cudnnRNNBackwardData	()	Require input	CUDNN_RNN_TANH, CUDNN_LSTM,
cudnnRNNBackwardWeig	hts()	sequences descending sorted according to length.	CUDNN_GRU Algo supported (refer
cudnnRNNForwardInfer	eSe que hce major	Only with	to the table for for information on these
cudnnRNNForwardTrain	n і нараскеd a EBatch major	_ALGO_STANDARD	algorithms):_ALGO_STANDARD, _ALGO_PERSIST_STATIC, _ALGO_PERSIST_DYNAMIC Math mode supported: CUDNN_DEFAULT_MATH, CUDNN_TI (will automatically fall back if run on pre- Volta or if algo doesn't support Tensor Cores) _ALLOW_CONVERSION (may perform down conversion to utilize Tensor Cores)
cudnnRNNBackwardData		For unpacked layout,	
cudnnRNNBackwardWeig		ence major required. 4	
			Direction mode supported: CUDNN_UNIDIRECTIONAL, CUDNN_BIDIRECTIONAL RNN input mode: CUDNN_LINEAR_INPUT, CUDNN_SKIP_INPUT

The following table provides the features supported by the algorithms referred in the above table: CUDNN RNN ALGO STANDARD, CUDNN RNN ALGO PERSIST STATIC, and CUDNN_RNN_ALGO_PERSIST_DYNAMIC.

Features	_ALGO_STANDARD _ALGO_PERSIST_S CUDNN_RNN_ALGO_ALGO_PERSIST_DEMMANUCH
Half input	Supported
Single accumulation Half output	Half intermediate storage Single accumulation

Do not mix different algos for different steps of training. It's also not recommended to mix non-extended and extended API for different steps of training.

To use an unpacked layout, users need to set CUDNN_RNN_PADDED_IO_ENABLED through cudnnSetRNNPaddingMode().

To use an unpacked layout, set CUDNN_RNN_PADDED_IO_ENABLED through cudnnSetRNNPaddingMode().

To use an unpacked layout, users need to set CUDNN_RNN_PADDED_IO_ENABLED through cudnnSetRNNPaddingMode().

Features	_ALGO_STANDARD	_ALGO_PERSIST_	E CUDNN_RNN_ALGO	_ALGO_PERSIST_	DSIMIAMII CI	
Single input	Supported					
Single accumulation		f running on Volta, with <code>cudnn_tensor_op_math_allow_conversion5</code> , will down-convert and use half intermediate storage.				
Single output	Otherwise: Single i	ntermediate stora	ge			
	Single accumulation	on				
Double input	Supported	Not Supported	Not Supported	Supported		
Double accumulation	Double intermediate storage			Double intermediate storage		
Double output	Double accumulation			Double accumulation		
LSTM recurrent projection	Supported	Not Supported	Not Supported	Not Supported		
LSTM cell clipping	Supported	Supported				
Variable sequence length in batch	Supported	Not Supported	Not Supported	Not Supported		
Tensor Cores	Supported	Supported				
	For half input/outp	For half input/output, acceleration requires setting				
	CUDNN_TENSOR_OP_MATH ⁶ or CUDNN_TENSOR_OP_MATH_ALLOW_CONVERSION ⁷			normally ignoring CUDNN_TENSOR_OP or		
	Acceleration requires inputSize and hiddenSize to be a multiple of 8			_ALLOW_CONVERSI	ON	
	For single input/output on NVIDIA Volta, NVIDIA Xavier, and NVIDIA Turing, acceleration requires setting					
	CUDNN_TENSOR_OP_MATH_ALLOW_CONVERSION ⁸					
	Acceleration requires inputSize and hiddenSize to be a multiple of 8					
	For single input/output on NVIDIA Ampere architecture, acceleration requires setting					

5 CUDNN_TENSOR_OP_MATH Or CUDNN_TENSOR_OP_MATH_ALLOW_CONVERSION can be set through cudnnSetRNNMatrixMathType().

¹⁰ CUDNN_TENSOR_OP_MATH Or CUDNN_TENSOR_OP_MATH_ALLOW_CONVERSION can be set through cudnnSetRNNMatrixMathType().

cudnnSetRNNMatrixMathType().

6 CUDNN_TENSOR_OP_MATH or CUDNN_TENSOR_OP_MATH_ALLOW_CONVERSION can be set through cudnnSetRNNMatrixMathType().

cudnnSetRNNMatrixMathType().
7 CUDNN_TENSOR_OP_MATH Or CUDNN_TENSOR_OP_MATH_ALLOW_CONVERSION can be set through
cudnnSetRNNMatrixMathType().

CUDNN_TENSOR_OP_MATH Or CUDNN_TENSOR_OP_MATH_ALLOW_CONVERSION can be set through cudnnSetRNNMatrixMathType().

⁸ CUDNN_TENSOR_OP_MATH Or CUDNN_TENSOR_OP_MATH_ALLOW_CONVERSION can be set through cudnnSetRNNMatrixMathType().

Features	_ALGO_STANDARD	_ALGO_PERSIST_S	CUDNN_RNN_ALGO	_ALGO_PERSIST_	SIMIAMIL CH
	CUDNN_DEFAULT_MATH, CUDNN_TENSOR_OP_MATH, Or CUDNN_TENSOR_OP_MATH_ALLOW_CONVERSION				
	Acceleration requires inputSize and hiddenSize to be a multiple of 4.				
Other limitations		Max problem size is limited by GPU specifications.	Forward RNN: RELU and TANH RNN: hidden_size <= 384 LSTM and GRU: hidden_size <= 192 BackwardData RNN: RELU and TANH RNN: hidden_size <= 256 LSTM and GRU: hidden_size <= 256 LSTM and GRU: hidden_size <= 128	Requires real time compilation through NVRTC	

4.3. Tensor Transformations


A few functions in the cuDNN library will perform transformations such as folding, padding, and NCHW-to-NHWC conversion while performing the actual function operation.

4.3.1. Conversion Between FP32 and FP16

The cuDNN API Reference allows you to specify that FP32 input data may be copied and converted to FP16 data internally to use Tensor Core operations for potentially improved performance. This can be achieved by selecting <code>cudnnn_tensor_op_math_allow_conversion</code> enum for <code>cudnnMathType_t</code>. In this mode, the FP32 tensors are internally down-converted to FP16, the Tensor Op math is performed, and finally up-converted to FP32 as outputs. For more information, refer to <code>Figure 49</code>.

⁹ CUDNN_TENSOR_OP_MATH or CUDNN_TENSOR_OP_MATH_ALLOW_CONVERSION can be set through cudnnSetRNNMatrixMathType().

Figure 49. Tensor Operation with FP32 Inputs



For Convolutions

For convolutions, the FP32-to-FP16 conversion can be achieved by passing the <code>cudnn_tensor_op_math_allow_conversion</code> enum value to the <code>cudnnSetConvolutionMathType()</code> call.

For RNNs

For RNNs, the FP32-to-FP16 conversion can be achieved by passing the CUDNN_TENSOR_OP_MATH_ALLOW_CONVERSION enum value to the cudnnSetRNNMatrixMathType() call to allow FP32 data to be converted for use in RNNs.

4.3.2. Padding

For packed NCHW data, when the channel dimension is not a multiple of 8, then the cuDNN library will pad the tensors as needed to enable Tensor Core operations. This padding is automatic for packed NCHW data in both the CUDNN_TENSOR_OP_MATH and the CUDNN TENSOR OP MATH ALLOW CONVERSION cases.

4.3.3. Folding

In the folding operation, the cuDNN library implicitly performs the formatting of input tensors and saves the input tensors in an internal workspace. This can lead to an acceleration of the call to Tensor Cores.

With folding or channel-folding, cuDNN can implicitly format the input tensors within an internal workspace to accelerate the overall calculation. Performing this transformation for the user often allows cuDNN to use kernels with restrictions on convolution stride to support a strided convolution problem.

4.3.4. Conversion Between NCHW And NHWC

Tensor Cores require that the tensors be in the NHWC data layout. Conversion between NCHW and NHWC is performed when the user requests Tensor Op math. However, a request to use Tensor Cores is just that, a request and Tensor Cores may not be used in some cases. The cuDNN library converts between NCHW and NHWC if and only if Tensor Cores are requested and are actually used.

If your input (and output) are NCHW, then expect a layout change.

Non-Tensor Op convolutions will not perform conversions between NCHW and NHWC.

In very rare and difficult-to-qualify cases that are a complex function of padding and filter sizes, it is possible that Tensor Ops is not enabled. In such cases, users can pre-pad to enable the Tensor Ops path.

4.4. Mixed Precision Numerical Accuracy

When the computation precision and the output precision are not the same, it is possible that the numerical accuracy will vary from one algorithm to the other.

For example, when the computation is performed in FP32 and the output is in FP16, the CUDNN_CONVOLUTION_BWD_FILTER_ALGO_0 (ALGO_0) has lower accuracy compared to the CUDNN_CONVOLUTION_BWD_FILTER_ALGO_1 (ALGO_1). This is because ALGO_0 does not use extra workspace, and is forced to accumulate the intermediate results in FP16, that is, half precision float, and this reduces the accuracy. The ALGO_1, on the other hand, uses additional workspace to accumulate the intermediate values in FP32, that is, full precision float.

Chapter 5. Odds and Ends

This section includes a random set of topics and concepts.

5.1. Thread Safety

The cuDNN library is thread-safe. Its functions can be called from multiple host threads, so long as the threads do not share the same cuDNN handle simultaneously.

When creating a per-thread cuDNN handle, it is recommended that a single synchronous call of cudnnCreate() be made first before each thread creates its own handle asynchronously.

Per <u>cudnnCreate()</u>, for multi-threaded applications that use the same device from different threads, the recommended programming model is to create one (or a few, as is convenient) cuDNN handles per thread and use that cuDNN handle for the entire life of the thread.

5.2. Reproducibility (Determinism)

By design, most of cuDNN's routines from a given version generate the same bit-wise results across runs when executed on GPUs with the same architecture. There are some exceptions. For example, the following routines do not guarantee reproducibility across runs, even on the same architecture, because they use atomic operations in a way that introduces truly random floating point rounding errors:

- cudnnConvolutionBackwardFilter when CUDNN_CONVOLUTION_BWD_FILTER_ALGO_0 or CUDNN CONVOLUTION BWD FILTER ALGO 3 is used
- ▶ cudnnConvolutionBackwardData when CUDNN_CONVOLUTION_BWD_DATA_ALGO_0 is used
- ▶ cudnnPoolingBackward when CUDNN POOLING MAX is used
- cudnnSpatialTfSamplerBackward
- cudnnCTCLoss and cudnnCTCLoss_v8 when CUDNN_CTC_LOSS_ALGO_NON_DETERMINSTIC
 is used

Across different architectures, no cuDNN routines guarantee bit-wise reproducibility. For example, there is no guarantee of bit-wise reproducibility when comparing the same

routine run on NVIDIA Volta[™] and NVIDIA Turing[™], NVIDIA Turing, and NVIDIA Ampere architecture.

5.3. Scaling Parameters


Many cuDNN routines like <u>cudnnConvolutionForward()</u> accept pointers in host memory to scaling factors alpha and beta. These scaling factors are used to blend the computed values with the prior values in the destination tensor as follows (refer to <u>Figure 50</u>):

dstValue = alpha*computedValue + beta*priorDstValue



Note: The dstValue is written to after being read.

Figure 50. Scaling Parameters for Convolution



When beta is zero, the output is not read and may contain uninitialized data (including NaN).

These parameters are passed using a host memory pointer. The storage data types for alpha and beta are:

float for HALF and FLOAT tensors, and

double for DOUBLE tensors.



Note: For improved performance use beta = 0.0. Use a non-zero value for beta only when you need to blend the current output tensor values with the prior values of the output tensor.


Type Conversion

When the data input x, the filter input w and the output y are all in INT8 data type, the function $\underline{\text{cudnnConvolutionBiasActivationForward}}$ will perform the type conversion as shown in Figure 51:



Note: Accumulators are 32-bit integers that wrap on overflow.

Figure 51. INT8 for cudnnConvolutionBiasActivationForward



5.4. cuDNN API Compatibility

Beginning in cuDNN 7, the binary compatibility of a patch and minor releases is maintained as follows:

Any patch release x.y.z is forward or backward-compatible with applications built against another cuDNN patch release x.y.w (meaning, of the same major and minor version number, but having w!=z).

- ▶ cuDNN minor releases are binary backward-compatible with applications built against the same or earlier minor release (meaning, cuDNN x.y is binary compatible with an app built against cuDNN x.z, where z<=y).
- Applications compiled with a cuDNN version x.z are not guaranteed to work with x.y release when z>y.

5.5. Deprecation Policy

cuDNN uses a streamlined, two-step, deprecation policy for all API and enum changes to enable a fast pace of innovation:

- Step 1: Label for deprecation
 - ► The current major version marks an API function or enum as deprecated without changing its behavior.
 - ▶ A deprecated enum value is marked with the CUDNN DEPRECATED ENUM macro.
 - If it is simply renamed, the old name will map to the new name, and the old name will be marked with the CUDNN DEPRECATED ENUM macro.
 - ▶ A deprecated API function is marked with the CUDNN DEPRECATED macro.
- Step 2: Removal
 - ► The next major version removes the deprecated API function or enum value and its name is never reused.

This depreciation scheme allows us to retire the deprecated API in just one major release. Functionality that is deprecated in the current major release can be compiled without any changes. The backward compatibility ends when another major cuDNN release is introduced.

Prototypes of deprecated functions will be prepended in cuDNN's headers using the CUDNN_DEPRECATED macro. When the -DCUDNN_WARN_DEPRECATED switch is passed to the compiler, any deprecated function call in your code will emit a compiler warning, for example:

```
warning: \cudnnStatus_t cudnnSetRNNMatrixMathType(cudnnRNNDescriptor_t, cudnnMathType_t)' is
  deprecated [-Wdeprecated-declarations]
Of
```

```
warning C4996: 'cudnnSetRNNMatrixMathType': was declared deprecated
```

The above warnings are disabled by default to avoid potential build breaks in software setups where compiler warnings are treated as errors.

Similarly, for deprecated enum values, the compiler emits a warning when attempting to use a deprecated value:

```
warning: `EXAMPLE_VAL' is deprecated: value not allowed [-Wdeprecated-declarations]
Or
warning C4996: `EXAMPLE_VAL': was declared deprecated
```

Special Case: API Behavior Change

To help ease the transition and avoid any surprises to developers, a behavior change between two major versions of a specific API function is accommodated by suffixing the function with a $_v$ tag followed by the current, major cuDNN version. In the next major release, the deprecated function is removed, and its name is never reused. (Brand-new API's are first introduced without the $_v$ tag).

Updating a function's behavior in this way uses the API's name to embed the cuDNN version where the API call was modified. As a result, the API changes will be easier to track and document.

Let us explain this process through an example using two subsequent, major cuDNN releases, version 8 and 9. In this example, an API function foo() changes its behavior from cuDNN v7 to cuDNN v8.

Maior release 8

The updated API is introduced as foo_v8 (). The deprecated API foo () is kept unchanged to maintain backward compatibility until the next major release.

Major release 9

The deprecated API foo() is permanently removed and its name is not reused. The foo v8() function supersedes the retired call foo().

5.6. GPU And Driver Requirements

For the latest compatibility software versions of the OS, CUDA, the CUDA driver, and the NVIDIA hardware, refer to the NVIDIA cuDNN Support Matrix.

5.7. Convolutions

The convolution functions are:

- cudnnConvolutionBackwardData()
- cudnnConvolutionBiasActivationForward()
- cudnnConvolutionForward()
- cudnnConvolutionBackwardBias()
- cudnnConvolutionBackwardFilter()

5.7.1. Convolution Formulas

This section describes the various convolution formulas implemented in cuDNN convolution functions for the <code>cudnnConvolutionForward()</code> path.

The convolution terms described in the table below apply to all the convolution formulas that follow.

Table 30. Convolution terms

Term	Description
X	Input (image) Tensor
W	Weight Tensor
у	Output Tensor
n	Current Batch Size
С	Current Input Channel
С	Total Input Channels
Н	Input Image Height
W	Input Image Width
k	Current Output Channel
K	Total Output Channels
p	Current Output Height Position
q	Current Output Width Position
G	Group Count
pad	Padding Value
u	Vertical Subsample Stride (along Height)
V	Horizontal Subsample Stride (along Width)
dilh	Vertical Dilation (along Height)
dil _w	Horizontal Dilation (along Width)
r	Current Filter Height
R	Total Filter Height
S	Current Filter Width
S	Total Filter Width
C_g	$\frac{C}{G}$
κ_g	$\frac{K}{G}$

Convolution (convolution mode set to CUDNN_CROSS_CORRELATION)

$$y_{n, k, p, q} = \sum_{c}^{C} \sum_{r}^{R} \sum_{s}^{S} x_{n, c, p+r, q+s} \times w_{k,c,r,s}$$

Convolution with Padding

$$x_{<0, <0} = 0$$

$$x_{>H,>W} = 0$$

$$y_{n, k, p, q} = \sum_{c}^{C} \sum_{r}^{R} \sum_{s}^{S} x_{n, c, p+r-pad, q+s-pad} \times w_{k, c, r, s}$$

Convolution with Subsample-Striding

$$y_{n, k, p, q} = \sum_{c}^{C} \sum_{r}^{R} \sum_{s}^{S} x_{n, c, (p^*u) + r, (q^*v) + s} \times w_{k, c, r, s}$$

Convolution with Dilation

$$y_{n, k, p, q} = \sum_{c}^{C} \sum_{r}^{R} \sum_{s}^{S} x_{n, c, p + (r*dilh), q + (s*dilw)} \times w_{k, c, r, s}$$

Convolution (convolution mode set to CUDNN CONVOLUTION)

$$y_{n, k, p, q} = \sum_{c}^{C} \sum_{r}^{R} \sum_{s}^{S} x_{n, c, p+r, q+s} \times w_{k, c, R-r-1, S-s-1}$$

Convolution using Grouped Convolution

$$C_g = \frac{C}{G}$$

$$K_g = \frac{K}{G}$$

$$y_{n, k, p, q} = \sum_{c}^{Cg} \sum_{r}^{R} \sum_{s}^{S} x_{n, Cg*floor(k/Kg)+c, p+r, q+s} \times w_{k,c,r,s}$$

5.7.2. Grouped Convolutions

cuDNN supports grouped convolutions by setting groupCount > 1 for the convolution descriptor convDesc, using cudnnSetConvolutionGroupCount().



Note: By default, the convolution descriptor convDesc is set to groupCount of 1.

Basic Idea

Conceptually, in grouped convolutions, the input channels and the filter channels are split into a groupCount number of independent groups, with each group having a reduced number of channels. The convolution operation is then performed separately on these input and filter groups.

For example, consider the following: if the number of input channels is 4, and the number of filter channels of 12. For a normal, ungrouped convolution, the number of computation operations performed are 12*4.

If the groupCount is set to 2, then there are now two input channel groups of two input channels each, and two filter channel groups of six filter channels each.

As a result, each grouped convolution will now perform 2*6 computation operations, and two such grouped convolutions are performed. Hence the computation savings are 2x: (12*4)/(2*(2*6)).

cuDNN Grouped Convolution

- When using groupCount for grouped convolutions, you must still define all tensor descriptors so that they describe the size of the entire convolution, instead of specifying the sizes per group.
- Grouped convolutions are supported for all formats that are currently supported by the functions cudnnConvolutionForward(), cudnnConvolutionBackwardData() and cudnnConvolutionBackwardFilter().
- The tensor stridings that are set for groupCount of 1 are also valid for any group count.
- ▶ By default, the convolution descriptor convDesc is set to groupCount of 1.



Note: Refer to <u>Convolution Formulas</u> for the math behind the cuDNN grouped convolution.

Example

Below is an example showing the dimensions and strides for grouped convolutions for NCHW format, for 2D convolution.



Note: The symbols * and / are used to indicate multiplication and division.

xDesc Or dxDesc

- Dimensions: [batch size, input channel, x height, x width]
- Strides: [input channels*x height*x width, x height*x width, x width, 1]

wDesc Or dwDesc

- Dimensions: [output channels, input channels/groupCount, w height, w width]
- ► Format: NCHW

convDesc

▶ Group Count: groupCount

yDesc **Or** dyDesc

Dimensions: [batch size, output channels, y height, y width]

Strides: [output_channels*y_height*y_width, y_height*y_width, y_width, 1]

5.7.3. Best Practices for 3D Convolutions



ATTENTION: These guidelines are applicable to 3D convolution and deconvolution functions starting in cuDNN v7.6.3.

The following guidelines are for setting the cuDNN library parameters to enhance the performance of 3D convolutions. Specifically, these guidelines are focused on settings such as filter sizes, padding and dilation settings. Additionally, an application-specific use-case, namely, medical imaging, is presented to demonstrate the performance enhancement of 3D convolutions with these recommended settings.

Specifically, these guidelines are applicable to the following functions and their associated data types:

- cudnnConvolutionForward()
- cudnnConvolutionBackwardData()
- cudnnConvolutionBackwardFilter()

For more information, refer to the NVIDIA cuDNN API Reference.

5.7.3.1. Recommended Settings

The following table shows the recommended settings while performing 3D convolutions for cuDNN.

Table 31. Recommended settings while performing 3D convolutions for cuDNN

Platform	NVIDIA Hopper architecture
	NVIDIA Ampere architecture
	NVIDIA Turing architecture
	NVIDIA Volta architecture
Convolution (3D or 2D)	3D and 2D
Convolution or deconvolution (fprop, dgrad, or wgrad)	fprop
	dgrad
	wgrad
Grouped convolution size	C_per_group ==
	K_per_group ==
	{1,4,8,16,32,64,128,256}
	Not supported for INT8

Data layout format (NHWC/N	NCHW)12	NDHWC
Input/output precision (FP	16, FP32, INT8, or FP64)	FP16, FP32 ¹³ , INT8 ¹⁴
Accumulator (compute) pr	ecision (FP16, FP32, INT32 or FP64)	FP32, INT32
Filter (kernel) sizes		No limitation
Padding		No limitation
Image sizes		2 GB limitation for a tensor
Number of channels	С	0 mod 8
		0 mod 16 (for INT8)
	K	0 mod 8
		0 mod 16 (for INT8)
Convolution mode		Cross-correlation and convolution
Strides		No limitation
Dilation		No limitation
Data pointer alignment		All data pointers are 16-bytes aligned.

5.7.3.2. Limitations

Your application will be functional but could be less performant if the model has channel counts lower than 32 (gets worse the lower it is).

If the above is in the network, use cuDNNFind to get the best option.

5.8. Environment Variables

cuDNN's behavior can be influenced through a set of environment variables. The following environment variables are officially supported by cuDNN:

- ▶ NVIDIA TF32 OVERRIDE
- ► NVIDIA LICENSE FILE
- ► CUDNN LOGDEST DBG
- ▶ CUDNN LOGINFO DBG
- ► CUDNN_LOGWARN_DBG
- ► CUDNN_LOGERR_DBG

 $^{^{12}\,}$ NHWC/NCHW corresponds to NDHWC/NCDHW in 3D convolution.

With CUDNN_TENSOROP_MATH_ALLOW_CONVERSION pre-Ampere. Default TF32 math in NVIDIA Ampere architecture.

INT8 does not support dgrad and wgrad. INT8 3D convolutions are only supported in the backend API. Refer to the tables in cudnnConvolutionForward() for more information.

For more information about these variables, refer to the NVIDIA cuDNN API Reference.



Note: Except for the environment variables listed above, we provide no support or guarantee on the use of any other environment variables prefixed by CUDNN .

5.9. SM Carveout

Starting in cuDNN 8.9.5, SM carveout is supported on NVIDIA Hopper GPUs, allowing expert users to reserve SMs for concurrent execution on a separate CUDA stream. Users can set a target SM count to cuDNN heuristics, and get a list of engine configs that will use that number of SMs during execution. For advanced use cases without cuDNN heuristics, users can also create the engine config from scratch with the SM carveout configured (the engines that support this feature are listed in the table below).

The following code snippet is a sample for heuristics use cases.

```
// Create heuristics descriptor
cudnnBackendDescriptor t engHeur;
cudnnBackendCreateDescriptor(CUDNN BACKEND ENGINEHEUR DESCRIPTOR, &enqHeur);
cudnnBackendSetAttribute(engHeur, CUDNN ATTR ENGINEHEUR OPERATION GRAPH,
CUDNN_TYPE_BACKEND_DESCRIPTOR, 1, &opGraph);
cudnnBackendSetAttribute(engHeur, CUDNN ATTR ENGINEHEUR MODE, CUDNN TYPE HEUR MODE, 1,
&heurMode);
// SM carveout
int32 t targetSMCount = 66;
cudnnBackendSetAttribute(engHeur, CUDNN ATTR ENGINEHEUR SM COUNT TARGET, CUDNN TYPE INT32, 1,
 &targetSMCount);
cudnnBackendFinalize(engHeur);
// Create engine config descriptor
cudnnBackendDescriptor t engConfig;
cudnnBackendCreateDescriptor(CUDNN BACKEND ENGINECFG DESCRIPTOR, &engConfiq);
// Retrieve optimal engine config(s) from heuristics
cudnnBackendGetAttribute(engHeur, CUDNN_ATTR_ENGINEHEUR_RESULTS,
CUDNN TYPE BACKEND DESCRIPTOR, 1, &returnedCount, engConfig);
// "engConfig" should now be ready with target SM count as 66
```

This feature is currently supported by normal convolutions (Fprop, Dgrad, and Wgrad) as well as the Conv-Bias-Act fusions.

Table 32. cuDNN backend engines that support SM carveout

CUDNN_ATTR_ENG	Convolution Forward	Convolution Backward Data	Convolution Backward Filter	cudnnConvolutionBiasActiva
	6	7	17	14
	58	63	62	39
	61	66	64	40
	62	67	65	41
	64	68	66	42
	65	69	68	43
	66	70		

CUDNN_ATTR_ENG	Convolution Forward	Convolution Backward Data	Convolution Backward Filter	cudnnConvolutio	onBiasActiva
	67	71			
	68	72			
	69	73			
		75			
		76			

Chapter 6. Troubleshooting

The following sections help answer the most commonly asked questions regarding typical use cases.

6.1. Error Reporting And API Logging

The cuDNN error reporting and API logging is a utility for recording the cuDNN API execution and error information. For each cuDNN API function call, all input parameters are reported in the API logging. If errors occur during the execution of the cuDNN API, a traceback of the error conditions can also be reported to help troubleshooting. This functionality is disabled by default, and can be enabled using the methods described in the later part of this section through three logging severity levels: CUDNN_LOGINFO_DBG, CUDNN_LOGWARN_DBG and CUDNN_LOGERR_DBG.

The log output contains variable names, data types, parameter values, device pointers, process ID, thread ID, cuDNN handle, CUDA stream ID, and metadata such as time of the function call in microseconds.

For example, when the severity level CUDNN_LOGINFO_DBG is enabled, the user will receive the API loggings, such as:

```
cuDNN (v8300) function cudnnSetActivationDescriptor() called:
    mode: type=cudnnActivationMode_t; val=CUDNN_ACTIVATION_RELU (1);
    reluNanOpt: type=cudnnNanPropagation_t; val=CUDNN_NOT_PROPAGATE_NAN (0);
    coef: type=double; val=1000.000000;
Time: 2017-11-21T14:14:21.366171 (0d+0h+1m+5s since start)
Process: 21264, Thread: 21264, cudnn_handle: NULL, cudnn_stream: NULL.
```

Starting in cuDNN 8.3.0, when the severity level <code>CUDNN_LOGWARN_DBG</code> or <code>CUDNN_LOGERR_DBG</code> are enabled, the log output additionally reports an error traceback such as the example below (currently only cuDNN version 8 graph APIs and legacy convolution APIs are using this error reporting feature). This traceback reports the relevant error/warning conditions, aiming to provide the user hints for troubleshooting purposes. Within the traceback, each message may have their own severity and will only be reported when the respective severity level is enabled. The traceback messages are printed in the reverse order of the execution so the messages at the top will be the root cause and tend to be more helpful for debugging.

```
cuDNN (v8300) function cudnnBackendFinalize() called:
    Info: Traceback contains 5 message(s)
        Error: CUDNN_STATUS_BAD_PARAM; reason: out <= 0
        Error: CUDNN_STATUS_BAD_PARAM; reason: is_valid_spacial_dim(xSpatialDimA[dim],
    wSpatialDimA[dim], ySpatialDimA[dim], cDesc.getPadLowerA()[dim], cDesc.getPadUpperA()[dim],
    cDesc.getStrideA()[dim], cDesc.getDilationA()[dim])</pre>
```

```
Error: CUDNN STATUS BAD PARAM; reason: is valid convolution(xDesc, wDesc, cDesc,
 yDesc)
         Error: CUDNN_STATUS_BAD_PARAM; reason: convolution.init(xDesc, wDesc, cDesc, yDesc)
Error: CUDNN_STATUS_BAD_PARAM; reason: finalize_internal()
Time: 2021-10-05T17:11:07.935640 (0d+0h+0m+15s since start)
Process=87720; Thread=87720; GPU=NULL; Handle=NULL; StreamId=NULL.
```

There are two methods, as described below, to enable the error/warning reporting and API logging. For convenience, the log output can be handled by the built-in default callback function, which will direct the output to a log file or the standard I/O as designated by the user. The user may also write their own callback function to handle this information programmably, and use the cudnnSetCallback() to pass in the function pointer of their own callback function.

Method 1: Using Environment Variables

To enable API logging using environment variables, follow these steps:

- Decide which logging severity levels to include from these three options: CUDNN LOGINFO DBG, CUDNN LOGWARN DBG, Or CUDNN LOGERR DBG. The logging severity levels are independent of each other. Any combination of them is valid.
- ▶ Set the environment variables CUDNN LOGINFO_DBG, CUDNN_LOGWARN_DBG, or CUDNN LOGERR DBG to 1, and
- Set the environment variable CUDNN LOGDEST DBG to one of the following:
 - stdout, stderr, or a user-desired file path, for example, /home/userName1/ log.txt.
- Include the conversion specifiers in the file name. For example:
 - To include date and time in the file name, use the date and time conversion specifiers: log %Y %m %d %H %M %S.txt. The conversion specifiers will be automatically replaced with the date and time when the program is initiated, resulting in log 2017 11 21 09 41 00.txt.
 - To include the process id in the file name, use the <code>%i</code> conversion specifier: <code>log</code> %Y %m %d %H %M %S %i.txt for the result: log 2017 11 21 09 41 00 21264.txt when the process id is 21264. When you have several processes running, using the process id conversion specifier will prevent these processes from writing to the same file at the same time.
 - Note: The supported conversion specifiers are similar to the strftime function.

If the file already exists, the log will overwrite the existing file.

Note: These environmental variables are only checked once at the initialization. Any subsequent changes in these environmental variables will not be effective in the current run. Also note that these environment settings can be overridden by Method 2 below.

Refer to <u>Table 33</u> for the impact on the performance of API logging using environment variables. The $\texttt{CUDNN_LOG\{INFO,WARN,ERR\}_DBG}$ notation in the table header means the conclusion is applicable to either one of the environment variables.

Table 33. API Logging Using Environment Variables

Environment variables	CUDNN_LOG{INFO,WARN,ERR}	CUDNN_LOG{INFO,WARN,ERR}	DBG=1
CUDNN_LOGDEST_DBG not set	No logging output	No logging output	
	No performance loss	No performance loss	
CUDNN_LOGDEST_DBG=NULL	No logging output	No logging output	
	No performance loss	No performance loss	
CUDNN_LOGDEST_DBG=stdout Or	No logging output	Logging to stdout or stderr	
stderr	No performance loss	Some performance loss	
CUDNN_LOGDEST_DBG=filename.	t №o logging output	Logging to filename.txt	
	No performance loss	Some performance loss	

Method 2: Using the API

To use API function calls to enable API logging, refer to the API description of cudnnSetCallback() and cudnnGetCallback().

6.2. FAQs

Q: I'm not sure if I should use cuDNN for inference or training. How does it compare with TensorRT?

A: cuDNN provides the building blocks for common routines such as convolution, matmul, normalization, attention, pooling, activation and RNN/LSTMs. You can use cuDNN for both training and inference. However, where it differs from TensorRT is that the latter (TensorRT) is a programmable inference accelerator; just like a framework. TensorRT sees the whole graph and optimizes the network by fusing/combining layers and optimizing kernel selection for improved latency, throughout, power efficiency and for reducing memory requirements.

A rule of thumb you can apply is to check out TensorRT, see if it meets your inference needs, if it doesn't, then look at cuDNN for a closer, more in-depth perspective.

Q: How does heuristics in cuDNN work? How does it know what is the optimal solution for a given problem?

A: NVIDIA actively monitors the Deep Learning space for important problem specifications such as commonly used models. The heuristics are produced by sampling a portion of these problem specifications with available computational choices. Over time, more models are discovered and incorporated into the heuristics.

Q: Is cuDNN going to support running arbitrary graphs?

A: No, we don't plan to become a framework and execute the whole graph one op at a time. At this time, we are focused on a subgraph given by the user, where we try to produce an optimized fusion kernel. We will document the rules regarding what can be fused and what cannot. The goal is to support general and flexible fusion, however, it will take time and there will be limits in what it can do in the cuDNN version 8.0.0 launch.

Q: What's the difference between TensorRT, TensorFlow/XLA's fusion, and cuDNN's fusion?

A: TensorRT and TensorFlow are frameworks; they see the whole graph and can do global optimization, however, they generally only fuse pointwise ops together or pattern match to a limited set of pre-compiled fixed fusion patterns like conv-bias-relu. On the other hand, cuDNN targets a subgraph, but can fuse convolutions with pointwise ops, thus providing potentially better performance. CuDNN fusion kernels can be utilized by TensorRT and TensorFlow/XLA as part of their global graph optimization.

Q: Can I write an application calling cuDNN directly?

A: Yes, you can call the C/C++ API directly. Usually, data scientists would wait for framework integration and use the Python API which is more convenient. However, if your use case requires better performance, you can target the cuDNN API directly.

Q: How does mixed precision training work?

A: Several components need to work together to make mixed precision training possible. CuDNN needs to support the layers with the required datatype config and have optimized kernels that run very fast. In addition, there is a module called automatic mixed precision (AMP) in frameworks which intelligently decides which op can run in a lower precision without affecting convergence and minimize the number of type conversions/transposes in the entire graph. These work together to give you speed up. For more information, refer to Mixed Precision Numerical Accuracy.

Q: How can I pick the fastest convolution kernels with cuDNN version 8.0.0?

A: In the API introduced in cuDNN v8, convolution kernels are grouped by similar computation and numerical properties into engines. Every engine has a queryable set of performance tuning knobs. A computation case such as a convolution operation graph can be computed using different valid combinations of engines and their knobs, known as an engine configuration. Users can query an array of engine configurations for any given computation case ordered by performance, from fastest to slowest according to cuDNN's own heuristics. Alternately, users can generate all possible engine configurations by querying the engine count and available knobs for each engine. This generated list could be used for auto-tuning or the user could create their own heuristics.

Q: Why is cuDNN version 8.0 convolution API call much slower on the first call than subsequent calls?

A: Due to the library split, cuDNN version 8.0 API will only load the necessary kernels on the first API call that requires it. In previous versions, this load would have been observed in the first cuDNN API call that triggers CUDA context initialization, typically cudnnCreate(). In version 8.0, this is delayed until the first sub-library call that triggers CUDA context initialization. Users who desire to have CUDA context preloaded can call the new cudnnCnnInferVersionCheck() API (or its related cousins), which has the side effect of initializing a CUDA context. This will reduce the run time for all subsequent API calls.

Q: How do I build the cuDNN version 8.0.0 split library?

A: cuDNN v8.0 library is split into multiple sub-libraries. Each library contains a subset of the API. Users can link directly against the individual libraries or link with a dlopen layer which follows a plugin architecture.

To link against an individual library, users can directly specify it and its dependencies on the linker command line. For example, for infer libraries: -lcudnn adv infer, lcudnn cnn infer, Or -lcudnn ops infer.

For all libraries, -lcudnn adv train, -lcudnn cnn_train, -lcudnn_ops_train, lcudnn adv infer, -lcudnn cnn infer, and -lcudnn ops infer.

The dependency order is documented in the NVIDIA cuDNN 8.0.0 Preview Release Notes and the NVIDIA cuDNN API Reference.

Alternatively, the user can continue to link against a shim layer (-libcudnn) which can dlopen the correct library that provides the implementation of the function. When the function is called for the first time, the dynamic loading of the library takes place.

Linker argument:

-lcudnn

Q: What are the new APIs in cuDNN version 8.0.0?

A: The new cuDNN APIs are listed in the cuDNN 8.0.0 Release Notes as well as in the <u>API changes for cuDNN 8.0.0</u>.

6.3. Support

Support, resources, and information about cuDNN can be found online at https://developer.nvidia.com/cudnn. This includes downloads, webinars, NVIDIA Developer.nvidia.com/cudnn. This includes downloads, webinars, NVIDIA Developer.nvidia.com/cudnn. This includes downloads, webinars, NVIDIA Developer.nvidia.com/cudnn. This includes downloads, webinars, NVIDIA Developer.nvidia.com/cudnn.

We appreciate all types of feedback. Consider posting on the forums with questions, comments, feature requests, and suspected bugs that are appropriate to discuss publicly. cuDNN-related posts are reviewed by the cuDNN engineering team, and internally we will file bugs where appropriate. It's helpful if you can paste or attach an API log to help us reproduce.

External users can also file bugs directly by following these steps:

- 1. Register for the NVIDIA Developer website.
- 2. Log in to the developer site.
- 3. Click on your name in the upper right corner.
- 4. Click My account > My Bugs and select Submit a New Bug.
- 5. Fill out the bug reporting page. Be descriptive and if possible, provide the steps that you are following to help reproduce the problem. If possible, paste or attach an <u>API log</u>.
- 6. Click Submit a bug.

Chapter 7. Acknowledgments

Some of the cuDNN library routines were derived from code developed by others and are subject to the following:

University of Tennessee

Copyright (c) 2010 The University of Tennessee.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer listed in this license in the documentation and/or other materials provided with the distribution.
- * Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

University of California, Berkeley

COPYRIGHT

All contributions by the University of California: Copyright (c) 2014, The Regents of the University of California (Regents) All rights reserved.

All other contributions: Copyright (c) 2014, the respective contributors

All rights reserved.

Caffe uses a shared copyright model: each contributor holds copyright over their contributions to Caffe. The project versioning records all such contribution and copyright details. If a contributor wants to further mark their specific copyright on a particular contribution, they should indicate their copyright solely in the commit message of the change when it is committed.

LICENSE

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

CONTRIBUTION AGREEMENT

By contributing to the BVLC/caffe repository through pull-request, comment, or otherwise, the contributor releases their content to the license and copyright terms herein.

7.3. Facebook Al Research, New York

Copyright (c) 2014, Facebook, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name Facebook nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS

SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Additional Grant of Patent Rights

"Software" means fbcunn software distributed by Facebook, Inc.

Facebook hereby grants you a perpetual, worldwide, royalty-free, non-exclusive, irrevocable (subject to the termination provision below) license under any rights in any patent claims owned by Facebook, to make, have made, use, sell, offer to sell, import, and otherwise transfer the Software. For avoidance of doubt, no license is granted under Facebook's rights in any patent claims that are infringed by (i) modifications to the Software made by you or a third party, or (ii) the Software in combination with any software or other technology provided by you or a third party.

The license granted hereunder will terminate, automatically and without notice, for anyone that makes any claim (including by filing any lawsuit, assertion or other action) alleging (a) direct, indirect, or contributory infringement or inducement to infringe any patent: (i) by Facebook or any of its subsidiaries or affiliates, whether or not such claim is related to the Software, (ii) by any party if such claim arises in whole or in part from any software, product or service of Facebook or any of its subsidiaries or affiliates, whether or not such claim is related to the Software, or (iii) by any party relating to the Software; or (b) that any right in any patent claim of Facebook is invalid or unenforceable.

Notice

This document is provided for information purposes only and shall not be regarded as a warranty of a certain functionality, condition, or quality of a product. NVIDIA Corporation ("NVIDIA") makes no representations or warranties, expressed or implied, as to the accuracy or completeness of the information contained in this document and assumes no responsibility for any errors contained herein. NVIDIA shall have no liability for the consequences or use of such information or for any infringement of patents or other rights of third parties that may result from its use. This document is not a commitment to develop, release, or deliver any Material (defined below), code, or functionality.

NVIDIA reserves the right to make corrections, modifications, enhancements, improvements, and any other changes to this document, at any time without notice

Customer should obtain the latest relevant information before placing orders and should verify that such information is current and complete.

NVIDIA products are sold subject to the NVIDIA standard terms and conditions of sale supplied at the time of order acknowledgement, unless otherwise agreed in an individual sales agreement signed by authorized representatives of NVIDIA and customer ("Terms of Sale"). NVIDIA hereby expressly objects to applying any customer general terms and conditions with regards to the purchase of the NVIDIA product referenced in this document. No contractual obligations are formed either directly or indirectly by this document.

NVIDIA products are not designed, authorized, or warranted to be suitable for use in medical, military, aircraft, space, or life support equipment, nor in applications where failure or malfunction of the NVIDIA product can reasonably be expected to result in personal injury, death, or property or environmental damage. NVIDIA accepts no liability for inclusion and/or use of NVIDIA products in such equipment or applications and therefore such inclusion and/or use is at customer's own risk.

NVIDIA makes no representation or warranty that products based on this document will be suitable for any specified use. Testing of all parameters of each product is not necessarily performed by NVIDIA. It is customer's sole responsibility to evaluate and determine the applicability of any information contained in this document, ensure the product is suitable and fit for the application planned by customer, and perform the necessary testing for the application in order to avoid a default of the application or the product. Weaknesses in customer's product designs may affect the quality and reliability of the NVIDIA product and may result in additional or different conditions and/or requirements beyond those contained in this document. NVIDIA accepts no liability related to any default, damage, costs, or problem which may be based on or attributable to: (i) the use of the NVIDIA product in any manner that is contrary to this document or (ii) customer product designs.

No license, either expressed or implied, is granted under any NVIDIA patent right, copyright, or other NVIDIA intellectual property right under this document. Information published by NVIDIA regarding third-party products or services does not constitute a license from NVIDIA to use such products or services or a warranty or endorsement thereof. Use of such information may require a license from a third party under the patents or other intellectual property rights of the third party, or a license from NVIDIA under the patents or other intellectual property rights of NVIDIA.

Reproduction of information in this document is permissible only if approved in advance by NVIDIA in writing, reproduced without alteration and in full compliance with all applicable export laws and regulations, and accompanied by all associated conditions, limitations, and notices.

THIS DOCUMENT AND ALL NVIDIA DESIGN SPECIFICATIONS, REFERENCE BOARDS, FILES, DRAWINGS, DIAGNOSTICS, LISTS, AND OTHER DOCUMENTS (TOGETHER AND SEPARATELY, "MATERIALS") ARE BEING PROVIDED "AS IS." NVIDIA MAKES NO WARRANTIES, EXPRESSED, IMPLIED, STATUTORY, OR OTHERWISE WITH RESPECT TO THE MATERIALS, AND EXPRESSLY DISCLAIMS ALL IMPLIED WARRANTIES OF NONINFRINGEMENT, MERCHANTABILITY, AND FITNESS FOR A PARTICULAR PURPOSE. TO THE EXTENT NOT PROHIBITED BY LAW, IN NO EVENT WILL NVIDIA BE LIABLE FOR ANY DAMAGES, INCLUDING WITHOUT LIMITATION ANY DIRECT, INDIRECT, SPECIAL, INCIDENTAL, PUNITIVE, OR CONSEQUENTIAL DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF ANY USE OF THIS DOCUMENT, EVEN IF NVIDIA HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Notwithstanding any damages that customer might incur for any reason whatsoever, NVIDIA's aggregate and cumulative liability towards customer for the products described herein shall be limited in accordance with the Terms of Sale for the product.

Arm

Arm, AMBA and Arm Powered are registered trademarks of Arm Limited. Cortex, MPCore and Mali are trademarks of Arm Limited. "Arm" is used to represent Arm Holdings plc; its operating company Arm Limited; and the regional subsidiaries Arm Inc.; Arm KK; Arm Korea Limited.; Arm Taiwan Limited; Arm France SAS; Arm Consulting (Shanghai) Co. Ltd.; Arm Germany GmbH; Arm Embedded Technologies Pvt. Ltd.; Arm Norway, AS and Arm Sweden AB.

HDMI

HDMI, the HDMI logo, and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC.

Blackberry/QNX

Copyright © 2020 BlackBerry Limited. All rights reserved.

Trademarks, including but not limited to BLACKBERRY, EMBLEM Design, QNX, AVIAGE, MOMENTICS, NEUTRINO and QNX CAR are the trademarks or registered trademarks of BlackBerry Limited, used under license, and the exclusive rights to such trademarks are expressly reserved.

Google

Android, Android TV, Google Play and the Google Play logo are trademarks of Google, Inc.



Trademarks

NVIDIA, the NVIDIA logo, and BlueField, CUDA, DALI, DRIVE, Hopper, JetPack, Jetson AGX Xavier, Jetson Nano, Maxwell, NGC, Nsight, Orin, Pascal, Quadro, Tegra, TensorRT, Triton, Turing and Volta are trademarks and/or registered trademarks of NVIDIA Corporation in the United States and other countries. Other company and product names may be trademarks of the respective companies with which they are associated.

Copyright

 $^{\hbox{\scriptsize @}}$ 2014-2024 NVIDIA Corporation & affiliates. All rights reserved.

