



Class AppWorkerServiceImpl

Table of contents

Inheritance Relationships

Class Documentation

- Defined in [File service_impl.hpp](#)

Inheritance Relationships

Base Type

- `public AppWorkerService::Service`

Class Documentation

```
class AppWorkerServiceImpl : public AppWorkerService::Service
```

Public Functions

```
explicit AppWorkerServiceImpl(holoscan::AppWorker *app_worker)
```

```
grpc::Status GetAvailablePorts(grpc::ServerContext *context, const  
holoscan::service::AvailablePortsRequest *request,  
holoscan::service::AvailablePortsResponse *response) override
```

```
grpc::Status GetFragmentInfo(grpc::ServerContext *context, const  
holoscan::service::FragmentInfoRequest *request,  
holoscan::service::FragmentInfoResponse *response) override
```

```
grpc::Status ExecuteFragments(grpc::ServerContext *context, const  
holoscan::service::FragmentExecutionRequest *request,  
holoscan::service::FragmentExecutionResponse *response) override
```

```
grpc::Status TerminateWorker(grpc::ServerContext *context, const  
holoscan::service::TerminateWorkerRequest *request,  
holoscan::service::TerminateWorkerResponse *response) override
```

© Copyright 2022-2024, NVIDIA.. PDF Generated on 06/06/2024