



File logger.hpp

Table of contents

Definition (include/holoscan/logger/logger.hpp)

Includes

Included By

Namespaces

Classes

Enums

Functions

Defines

Parent directory (`include/holoscan/logger`)

Contents

- `include/holoscan/logger/logger.hpp`
- Includes
- Included By
- Namespaces
- Classes
- Enums
- Functions
- Defines

Definition (`include/holoscan/logger/logger.hpp`)

- Program Listing for File `logger.hpp`

Includes

- `chrono` (File `asynchronous.hpp`)
- `fmt/format.h`
- `fmt/ranges.h`
- `memory` (File `block_memory_pool.hpp`)
- `string`

- `string_view`
- `utility`

Included By

- [File arg.hpp](#)
- [File common.hpp](#)
- [File gxf_utils.hpp](#)
- [File parameter.hpp](#)
- [File holoinfer_constants.hpp](#)
- [File utils.hpp](#)

Namespaces

- [Namespace holoscan](#)

Classes

- [Class Logger](#)

Enums

- [Enum LogLevel](#)

Functions

- [Template Function holoscan::log_critical](#)
- [Template Function holoscan::log_debug](#)
- [Template Function holoscan::log_error](#)
- [Template Function holoscan::log_info](#)

- [Function holoscan::log_level](#)
- [Template Function holoscan::log_message](#)
- [Template Function holoscan::log_trace](#)
- [Template Function holoscan::log_warn](#)
- [Function holoscan::set_log_level](#)
- [Function holoscan::set_log_pattern](#)

Defines

- [Define HOLOSCAN_LOG_CALL](#)
- [Define HOLOSCAN_LOG_CRITICAL](#)
- [Define HOLOSCAN_LOG_DEBUG](#)
- [Define HOLOSCAN_LOG_ERROR](#)
- [Define HOLOSCAN_LOG_INFO](#)
- [Define HOLOSCAN_LOG_LEVEL_CRITICAL](#)
- [Define HOLOSCAN_LOG_LEVEL_DEBUG](#)
- [Define HOLOSCAN_LOG_LEVEL_ERROR](#)
- [Define HOLOSCAN_LOG_LEVEL_INFO](#)
- [Define HOLOSCAN_LOG_LEVEL_OFF](#)
- [Define HOLOSCAN_LOG_LEVEL_TRACE](#)
- [Define HOLOSCAN_LOG_LEVEL_WARN](#)
- [Define HOLOSCAN_LOG_TRACE](#)
- [Define HOLOSCAN_LOG_WARN](#)

© Copyright 2022-2024, NVIDIA.. PDF Generated on 06/06/2024