



**File network\_context.hpp**

# Table of contents

[Definition \(include/holoscan/core/network\\_context.hpp\)](#)

---

[Includes](#)

---

[Included By](#)

---

[Namespaces](#)

---

[Classes](#)

---

[Defines](#)

---

Parent directory ( `include/holoscan/core` )

## Contents

- `include/holoscan/core/network_context.hpp`
- Includes
- Included By
- Namespaces
- Classes
- Defines

## Definition

### (`include/holoscan/core/network_context.hpp`)

- Program Listing for File `network_context.hpp`

## Includes

- `./arg.hpp`
- `./component.hpp`
- `./forward_def.hpp`
- `./parameter.hpp`
- `./resource.hpp`
- `./type_traits.hpp`

- `iostream`
- `memory` ([File `block\_memory\_pool.hpp`](#))
- `stdio.h`
- `string`
- `type_traits` ([File `type\_traits.hpp`](#))
- `unordered_map`
- `utility`
- `vector`

## Included By

- [File `fragment.hpp`](#)
- [File `gxf\_network\_context.hpp`](#)
- [File `holoscan.hpp`](#)

## Namespaces

- [Namespace `holoscan`](#)

## Classes

- [Class `NetworkContext`](#)

## Defines

- [Define `HOLOSCAN\_NETWORK\_CONTEXT\_FORWARD\_ARGS`](#)
- [Define `HOLOSCAN\_NETWORK\_CONTEXT\_FORWARD\_ARGS\_SUPER`](#)
- [Define `HOLOSCAN\_NETWORK\_CONTEXT\_FORWARD\_TEMPLATE`](#)

