



**File resource.hpp**

# Table of contents

Definition ([include/holoscan/core/resource.hpp](#))

---

Includes

---

Included By

---

Namespaces

---

Classes

---

Defines

---

Parent directory: ( `include/holoscan/core` )

## Contents

- `include/holoscan/core/resource.hpp`
- Includes
- Included By
- Namespaces
- Classes
- Defines

## Definition (`include/holoscan/core/resource.hpp`)

- Program Listing for File `resource.hpp`

## Includes

- `./component.hpp`
- `./gxf/gxf_component.hpp`
- `./gxf/gxf_utils.hpp`
- `iostream`
- `memory` (File `block_memory_pool.hpp`)
- `string`
- `utility`

## Included By

- [File argument\\_setter.hpp](#)
- [File endpoint.hpp](#)
- [File gxf\\_resource.hpp](#)
- [File io\\_spec.hpp](#)
- [File network\\_context.hpp](#)
- [File operator.hpp](#)
- [File scheduler.hpp](#)
- [File holoscan.hpp](#)

## Namespaces

- [Namespace holoscan](#)

## Classes

- [Class Resource](#)

## Defines

- [Define HOLOSCAN\\_RESOURCE\\_FORWARD\\_ARGS](#)
- [Define HOLOSCAN\\_RESOURCE\\_FORWARD\\_ARGS\\_SUPER](#)
- [Define HOLOSCAN\\_RESOURCE\\_FORWARD\\_TEMPLATE](#)

© Copyright 2022-2024, NVIDIA.. PDF Generated on 06/06/2024