

NVIDIA HPC SDK RELEASE NOTES

RN-09976-001-V22.11 | November 2022



TABLE OF CONTENTS

Chapter 1. What's New	.1
Chapter 2. Release Component Versions	. 2
Chapter 3. Supported Platforms	4
3.1. Platform Requirements for the HPC SDK	4
3.2. Supported CUDA Toolchain Versions	. 5
Chapter 4. Known Limitations	.6
Chapter 5. Deprecations and Changes	.7

LIST OF TABLES

Table 1	HPC SDK Release Components	2
Table 2	HPC SDK Platform Requirements	4

Chapter 1. WHAT'S NEW

Welcome to the 22.11 version of the NVIDIA HPC SDK, a comprehensive suite of compilers and libraries enabling developers to program the entire HPC platform, from the GPU foundation to the CPU and out through the interconnect. The 22.11 release of the HPC SDK includes new features, as well as important functionality and performance improvements.

- The HPC SDK now provides preview implementations of several new proposed features of ISO Standard C++ for parallel and high-performance computing.
 - ISO Standard C++ proposal p2300 "std::execution": The stdexec library introduces a performance-portable way of writing asynchronous pipelines of work in standard C++, with fine-grained control of where and how the work executes. This preview release supports execution on the CPU, and on singleand multi-GPU systems.
 - ISO Standard C++ proposal p0009 "mdspan": This feature provides a multidimensional array view, mdspan, along with classes, class templates, and constants for describing and creating multidimensional array views. The mdspan class template can represent arbitrary mixes of compile-time or runtime extents.
 - ISO Standard C++ proposal p1673 "A free function linear algebra interface based on the BLAS": These proposed C++ standard algorithms make up a C ++ Standard Library dense linear algebra interface based on the dense Basic Linear Algebra Subroutines (BLAS), which correspond to a subset of the BLAS Standard.
- The HPC SDK is now supported on Redhat Enterprise Linux version 8.6 for x86-64, Arm Server, and POWER architectures.

Chapter 2. RELEASE COMPONENT VERSIONS

The NVIDIA HPC SDK 22.11 release contains the following versions of each component:

	Linux_x86_64		Linux_ppc64le			Linux_aarch64			
	CUDA 10.2	CUDA 11.0	CUDA 11.8	CUDA 10.2	CUDA 11.0	CUDA 11.8	CUDA 10.2	CUDA 11.0	CUDA 11.8
nvc++		22.11		22.11			22.11		
nvc		22.11		22.11			22.11		
nvfortran		22.11		22.11			22.11		
nvcc	10.2.89	11.0.221	11.8.89	10.2.89	11.0.221	11.8.89	N/A	11.0.221	11.8.89
NCCL	2.13.4	2.13.4	2.13.4	2.13.4	2.13.4	2.13.4	N/A	2.13.4	2.13.4
NVSHMEM	2.6.0	2.6.0	2.6.0	2.6.0	2.6.0	2.6.0	N/A	N/A	N/A
cuBLAS	10.2.2.89	11.2.0.252	11.11.3.6	10.2.2.89	11.2.0.252	11.11.3.6	N/A	11.2.0.252	11.11.3.6
cuFFT	10.1.2.89	10.2.1.245	10.9.0.58	10.1.2.89	10.2.1.245	10.9.0.58	N/A	10.2.1.245	10.9.0.58
cuFFTMp	N/A	N/A	10.8.1	N/A	N/A	10.8.1	N/A	N/A	N/A
cuRAND	10.1.2.89	10.2.1.245	10.3.0.86	10.1.2.89	10.2.1.245	10.3.0.86	N/A	10.2.1.245	10.3.0.86
cuSOLVER	10.3.0.89	10.6.0.245	11.4.1.48	10.3.0.89	10.6.0.245	11.4.1.48	N/A	10.6.0.245	11.4.1.48
cuSOLVER	N/A	N/A	0.2.1	N/A	N/A	N/A	N/A	N/A	N/A
cuSPARSE	10.3.1.89	11.1.1.245	11.7.5.86	10.3.1.89	11.1.1.245	11.7.5.86	N/A	11.1.1.245	11.7.5.86
cuTENSOF	1.6.1	1.6.1	1.6.1	1.6.1	1.6.1	1.6.1	N/A	1.6.1	1.6.1
Nsight Compute	2022.3.0		2022.3.0			2022.3.0			
Nsight Systems	2022.4.1.21		2022.4.1.21			2022.4.1.21			
OpenMPI	3.1.5		3.1.5			3.1.5			
HPC-X	N/A	2.12	2.12	N/A	N/A	N/A	N/A	2.12	2.12

Table 1 HPC SDK Release Components

	Linux_x86_64		Linux_ppc64le			Linux_aarch64			
	CUDA 10.2	CUDA 11.0	CUDA 11.8	CUDA 10.2	CUDA 11.0	CUDA 11.8	CUDA 10.2	CUDA 11.0	CUDA 11.8
UCX	N/A	1.14.0	1.14.0	N/A	N/A	N/A	N/A	1.14.0	1.14.0
OpenBLAS		0.3.20			0.3.20			0.3.20	
Scalapack		2.2.0			2.2.0			2.2.0	
Thrust	1.9.7	1.9.9	1.15.1	1.9.7	1.9.9	1.15.1	N/A	1.9.10	1.15.1
CUB	N/A	1.9.9	1.15.1	N/A	1.9.9	1.15.1	N/A	1.9.9	1.15.1
libcu++	N/A	1.0.0	1.8.1	N/A	1.0.0	1.8.1	N/A	1.0.0	1.8.1

Chapter 3. SUPPORTED PLATFORMS

3.1. Platform Requirements for the HPC SDK

Architecture	Linux Distributions	Minimum gcc/ glibc Toolchain	Minimum CUDA Driver
x86_64	CentOS 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9 CentOS 8.0, 8.1, 8.2 Fedora 29, 30, 31, 32, 33, 34 OpenSUSE Leap 15.0, 15.1, 15.2 RHEL 7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9 RHEL 8.0, 8.1, 8.4, 8.5, 8.6 SLES 12SP4, 12SP5, 15, 15SP1, 15SP2, 15SP3 Ubuntu 18.04, 20.04, 22.04 Rocky Linux 8.0	C99: 4.8 C11: 4.9 C++03: 4.8 C++11: 4.9 C++14: 5.1 C++17: 7.1 C++20: 10.1	440.33
ppc64le	RHEL 7.3, 7.4, 7.5, 7.6, 7.7, 8.0, 8.1, 8.3, 8.4 RHEL Pegas 7.5, 7.6 Ubuntu 18.04	C99: 4.8 C11: 4.9 C++03: 4.8 C++11: 4.9 C++14: 5.1 C++17: 7.1	440.33

Architecture	Linux Distributions	Minimum gcc/ glibc Toolchain	Minimum CUDA Driver
		C++20: 10.1	
aarch64	CentOS 8.0, 8.1, 8.2, 8.3, 8.4 RHEL 8.1, 8.2, 8.6 Ubuntu 18.04, 20.04, 22.04 SLES 15SP3 Amazon Linux 2	C99: 4.8 C11: 4.9 C++03: 4.8 C++11: 4.9 C++14: 5.1 C++17: 7.1 C++20: 10.1	450.36

Programs generated by the HPC Compilers for x86_64 processors require a minimum of AVX instructions, which includes Sandy Bridge and newer CPUs from Intel, as well as Bulldozer and newer CPUs from AMD. POWER 8 and POWER 9 CPUs from the POWER architecture are supported. For the Arm architecture, the minimum required version is Arm v8.1.

The HPC Compilers are compatible with gcc and g++ and use the GCC C and C++ libraries; the minimum compatible versions of GCC are listed in Table 2. The minimum system requirements for CUDA and NVIDIA Math Library requirements are available in the NVIDIA CUDA Toolkit documentation.

3.2. Supported CUDA Toolchain Versions

The NVIDIA HPC SDK uses elements of the CUDA toolchain when building programs for execution with NVIDIA GPUs. Every HPC SDK installation package puts the required CUDA components into an installation directory called [install-prefix]/ [arch]/[nvhpc-version]/cuda.

An NVIDIA CUDA GPU device driver must be installed on a system with a GPU before you can run a program compiled for the GPU on that system. The NVIDIA HPC SDK does not contain CUDA Drivers. You must download and install the appropriate CUDA Driver from NVIDIA, including the CUDA Compatibility Platform if that is required.

The nvaccelinfo tool prints the CUDA Driver version in its output. You can use it to find out which version of the CUDA Driver is installed on your system.

The NVIDIA HPC SDK 22.11 includes the following CUDA toolchain versions:

- CUDA 10.2
- CUDA 11.0
- CUDA 11.8

The minimum required CUDA driver versions are listed in the table in Section 3.1.

Chapter 4. KNOWN LIMITATIONS

- Prior to using HPC-X, users should take care to source the hpcx-init.sh script: \$. / [install-path]/Linux_x86_64/dev/comm_libs/hpcx/hpcx-2.11/hpcx-init.sh Then, run the hpcx_load function defined by this script: \$ hpcx_load These actions will set important environment variables that are needed when running HPC-X. Also, if you see the following warning from HPC-X while running an MPI job: WARNING: Open MPI tried to bind a process but failed. This is a warning only; your job will continue, though performance may be degraded. This is a known issue, and may be worked around as follows: export OMPI_MCA_hwloc_base_binding_policy=""
- Derived type objects with zero-size derived type allocatable components that are used in sourced allocation or allocatable assignment may result in a runtime segmentation violation.
- When using -stdpar to accelerate C++ parallel algorithms, the algorithm calls cannot include virtual function calls or function calls through a function pointer, cannot use C++ exceptions, can only dereference pointers that point to the heap, and must use random access iterators (raw pointers as iterators work best).

Chapter 5. DEPRECATIONS AND CHANGES

- Corresponding with the release of new upcoming CUDA Toolkit versions, all three bundled CUDA versions included in the HPC SDK "multi" packages will be updated.
- cudaDeviceSynchronize() in CUDA Fortran has been deprecated and will be removed in a future release.
- Starting with the 21.11 version of the NVIDIA HPC SDK, the HPC-X package is no longer shipped as part of the packages made available for the POWER architecture.
- Starting with the 21.5 version of the NVIDIA HPC SDK, the -cuda option for NVC+ + and NVFORTRAN no longer automatically links the NVIDIA GPU math libraries. Please refer to the -cudalib option.
- HPC Compiler support for the Kepler architecture of NVIDIA GPUs was deprecated starting with the 21.3 version of the NVIDIA HPC SDK.
- Support for the KNL architecture of multicore CPUs in the NVIDIA HPC SDK was removed in the HPC SDK version 21.3.

Notice

ALL NVIDIA DESIGN SPECIFICATIONS, REFERENCE BOARDS, FILES, DRAWINGS, DIAGNOSTICS, LISTS, AND OTHER DOCUMENTS (TOGETHER AND SEPARATELY, "MATERIALS") ARE BEING PROVIDED "AS IS." NVIDIA MAKES NO WARRANTIES, EXPRESSED, IMPLIED, STATUTORY, OR OTHERWISE WITH RESPECT TO THE MATERIALS, AND EXPRESSLY DISCLAIMS ALL IMPLIED WARRANTIES OF NONINFRINGEMENT, MERCHANTABILITY, AND FITNESS FOR A PARTICULAR PURPOSE.

Information furnished is believed to be accurate and reliable. However, NVIDIA Corporation assumes no responsibility for the consequences of use of such information or for any infringement of patents or other rights of third parties that may result from its use. No license is granted by implication of otherwise under any patent rights of NVIDIA Corporation. Specifications mentioned in this publication are subject to change without notice. This publication supersedes and replaces all other information previously supplied. NVIDIA Corporation products are not authorized as critical components in life support devices or systems without express written approval of NVIDIA Corporation.

Trademarks

NVIDIA, the NVIDIA logo, CUDA, CUDA-X, GPUDirect, HPC SDK, NGC, NVIDIA Volta, NVIDIA DGX, NVIDIA Nsight, NVLink, NVSwitch, and Tesla are trademarks and/ or registered trademarks of NVIDIA Corporation in the U.S. and other countries. Other company and product names may be trademarks of the respective companies with which they are associated.

Copyright

© 2013-2022 NVIDIA Corporation. All rights reserved.

