



NVIDIA HPC SDK RELEASE NOTES

RN-09976-001-V23.1 | January 2023



TABLE OF CONTENTS

Chapter 1. What's New.....	1
Chapter 2. Release Component Versions.....	2
Chapter 3. Supported Platforms.....	4
3.1. Platform Requirements for the HPC SDK.....	4
3.2. Supported CUDA Toolchain Versions.....	5
Chapter 4. Known Limitations.....	6
Chapter 5. Deprecations and Changes.....	8

LIST OF TABLES

Table 1 HPC SDK Release Components	2
Table 2 HPC SDK Platform Requirements	4

Chapter 1.

WHAT'S NEW

Welcome to the 23.1 version of the NVIDIA HPC SDK, a comprehensive suite of compilers and libraries enabling developers to program the entire HPC platform, from the GPU foundation to the CPU and out through the interconnect. The 23.1 release of the HPC SDK includes new features, as well as important functionality and performance improvements.

- ▶ The HPC SDK now ships components for development using CUDA 12.0, and with CUDA 11.8 and 11.0 in the "multi" version of the packages.
- ▶ This release introduces a new "nvhpc-hpcx" environment module for the HPC-X library, an alternative to the default OpenMPI 3.x library that is setup by the existing "nvhpc" environment module. If no MPI library is desired, or to use an external MPI library, the "nvhpc-nompi" environment module is provided.

Chapter 2.

RELEASE COMPONENT VERSIONS

The NVIDIA HPC SDK 23.1 release contains the following versions of each component:

Table 1 HPC SDK Release Components

	Linux_x86_64			Linux_ppc64le			Linux_aarch64		
	CUDA 11.0	CUDA 11.8	CUDA 12.0	CUDA 11.0	CUDA 11.8	CUDA 12.0	CUDA 11.0	CUDA 11.8	CUDA 12.0
nvc++	23.1			23.1			23.1		
nvc	23.1			23.1			23.1		
nvfortran	23.1			23.1			23.1		
nvcc	11.0.221	11.8.89	12.0.107	11.8.89	11.0.221	12.0.107	11.0.221	11.8.89	12.0.107
NCCL	2.16.4	2.16.4	2.16.4	2.16.4	2.16.4	2.16.4	2.16.4	2.16.4	2.16.4
NVSHMEM	2.8.0	2.8.0	2.8.0	2.8.0	2.8.0	2.8.0	N/A	N/A	N/A
cuBLAS	11.2.0.252	11.11.4.17	12.0.2.222	11.2.0.252	11.11.3.6	12.0.2.222	11.2.0.252	11.11.3.6	12.0.2.222
cuFFT	10.2.1.245	10.9.0.58	11.0.0.21	10.2.1.245	10.9.0.58	11.0.0.21	10.2.1.245	10.9.0.58	11.0.0.21
cuFFTMp	N/A	10.8.1	10.8.1	N/A	10.8.1	10.8.1	N/A	N/A	N/A
cuRAND	10.2.1.245	10.3.0.86	10.3.1.50	10.2.1.245	10.3.0.86	10.3.1.50	10.2.1.245	10.3.0.86	10.3.1.50
cuSOLVER	10.6.0.245	11.4.1.48	11.4.2.57	10.6.0.245	11.4.1.48	11.4.2.57	10.6.0.245	11.4.1.48	11.4.2.57
cuSOLVER	N/A	0.3.0.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A
cuSPARSE	11.1.1.245	11.7.5.86	12.0.0.76	11.1.1.245	11.7.5.86	12.0.0.76	11.1.1.245	11.7.5.86	12.0.0.76
cuTENSORFLOW	1.6.2	1.6.2	1.6.2	1.6.2	1.6.2	1.6.2	1.6.2	1.6.2	1.6.2
Nsight Compute	2022.4.0			2022.4.0			2022.4.0		
Nsight Systems	2022.5.1.82			2022.5.1.82			2022.5.1.82		
OpenMPI	3.1.5			3.1.5			3.1.5		
HPC-X	2.13			N/A			2.13		

	Linux_x86_64			Linux_ppc64le			Linux_aarch64		
	CUDA 11.0	CUDA 11.8	CUDA 12.0	CUDA 11.0	CUDA 11.8	CUDA 12.0	CUDA 11.0	CUDA 11.8	CUDA 12.0
UCX	1.14.0			N/A			1.14.0		
OpenBLAS	0.3.20			0.3.20			0.3.20		
Scalapack	2.2.0			2.2.0			2.2.0		
Thrust	1.9.9	1.15.1	2.0.1	1.9.9	1.15.1	2.0.1	1.9.9	1.15.1	2.0.1
CUB	1.9.9	1.15.1	2.0.1	1.9.9	1.15.1	2.0.1	1.9.9	1.15.1	2.0.1
libcud++	1.0.0	1.8.1	1.9.0	1.0.0	1.8.1	1.9.0	1.0.0	1.8.1	1.9.0

Chapter 3. SUPPORTED PLATFORMS

3.1. Platform Requirements for the HPC SDK

Table 2 HPC SDK Platform Requirements

Architecture	Linux Distributions	Minimum gcc/ glibc Toolchain	Minimum CUDA Driver
x86_64	CentOS 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9 CentOS 8.0, 8.1, 8.2 Fedora 29, 30, 31, 32, 33, 34 OpenSUSE Leap 15.0, 15.1, 15.2 RHEL 7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9 RHEL 8.0, 8.1, 8.4, 8.5, 8.6 SLES 12SP4, 12SP5, 15, 15SP1, 15SP2, 15SP3 Ubuntu 18.04, 20.04, 22.04 Rocky Linux 8.0	C99: 4.8 C11: 4.9 C++03: 4.8 C++11: 4.9 C++14: 5.1 C++17: 7.1 C++20: 10.1	450.36.06
ppc64le	RHEL 7.3, 7.4, 7.5, 7.6, 7.7, 8.0, 8.1, 8.3, 8.4, 8.6 RHEL Pegas 7.5, 7.6 Ubuntu 18.04	C99: 4.8 C11: 4.9 C++03: 4.8 C++11: 4.9 C++14: 5.1 C++17: 7.1	450.36.06

Architecture	Linux Distributions	Minimum gcc/ glibc Toolchain	Minimum CUDA Driver
		C++20: 10.1	
aarch64	CentOS 8.0, 8.1, 8.2, 8.3, 8.4 RHEL 8.1, 8.2, 8.6 Ubuntu 18.04, 20.04, 22.04 SLES 15SP3 Amazon Linux 2	C99: 4.8 C11: 4.9 C++03: 4.8 C++11: 4.9 C++14: 5.1 C++17: 7.1 C++20: 10.1	450.36.06

Programs generated by the HPC Compilers for x86_64 processors require a minimum of AVX instructions, which includes Sandy Bridge and newer CPUs from Intel, as well as Bulldozer and newer CPUs from AMD. POWER 8 and POWER 9 CPUs from the POWER architecture are supported. For the Arm architecture, the minimum required version is Arm v8.1.

The HPC Compilers are compatible with gcc and g++ and use the GCC C and C++ libraries; the minimum compatible versions of GCC are listed in Table 2. The minimum system requirements for CUDA and NVIDIA Math Library requirements are available in the [NVIDIA CUDA Toolkit documentation](#).

3.2. Supported CUDA Toolchain Versions

The NVIDIA HPC SDK uses elements of the CUDA toolchain when building programs for execution with NVIDIA GPUs. Every HPC SDK installation package puts the required CUDA components into an installation directory called `[install-prefix]/[arch]/[nvhpc-version]/cuda`.

An NVIDIA CUDA GPU device driver must be installed on a system with a GPU before you can run a program compiled for the GPU on that system. The NVIDIA HPC SDK does not contain CUDA Drivers. You must download and install the appropriate [CUDA Driver from NVIDIA](#), including the [CUDA Compatibility Platform](#) if that is required.

The `nvaccelinfo` tool prints the CUDA Driver version in its output. You can use it to find out which version of the CUDA Driver is installed on your system.

The NVIDIA HPC SDK 23.1 includes the following CUDA toolchain versions:

- ▶ CUDA 11.0
- ▶ CUDA 11.8
- ▶ CUDA 12.0

The minimum required CUDA driver versions are listed in the table in Section 3.1.

Chapter 4.

KNOWN LIMITATIONS

- ▶ The latest version of cuSolverMp (0.3.0) bundled with this release has two new dependencies on UCC and UCX libraries. To execute a program linked against cuSolverMP, please use the “nvhpc-hpcx” environment module for the HPC-X library, or set the environment variable LD_LIBRARY_PATH as follows:
`LD_LIBRARY_PATH=${NVHPCSDK_HOME}/comm_libs/hpcx/latest/ucc/lib:
${NVHPCSDK_HOME}/comm_libs/hpcx/latest/ucx/lib:$LD_LIBRARY_PATH`
- ▶ The version of cuFFTMp library (10.8.1) bundled with this release is not compatible with the bundled NVSHMEM 2.8.0-1. This HPC SDK release includes the version NVSHMEM 2.6.0-1 bootstrap library that is compatible with the cuFFTMp 10.8.1 library. The compiler drivers, when using `-cudalib=cufftmp``, will automatically add the RPATH to the older version of the NVSHMEM bootstrap library to guarantee that the cuFFTMp library will function correctly. However, when using HPC-X MPI the RPATH set by the HPC SDK drivers is not sufficient. To work around this limitation, please set the environment variable LD_LIBRARY_PATH as follow:
`LD_LIBRARY_PATH=${NVHPCSDK_HOME}/math_libs/11.8/${CUDA_VERSION}/
compat/nvshmem_2.6.0-1:$LD_LIBRARY_PATH` Note: `-cudalib=cufftmp,nvshmem` will not work.
- ▶ When using the bundled OpenMPI 4 or HPC-X on Hopper-based systems, CUDA P2P is disabled.
- ▶ The 2.13 version of HPC-X shipped in HPC SDK 23.1 does not support CUDA 12.0.
- ▶ If not using the provided modulefiles, prior to using HPC-X, users should take care to source the hpcx-init.sh script: `$./[install-path]/Linux_x86_64/dev/comm_libs/
hpcx/hpcx-2.11/hpcx-init.sh` Then, run the hpcx_load function defined by this script: `$ hpcx_load` These actions will set important environment variables that are needed when running HPC-X. The following warning from HPC-X while running an MPI job – “WARNING: Open MPI tried to bind a process but failed. This is a warning only; your job will continue, though performance may be degraded” – is a known issue, and may be worked around as follows: `export OMPI_MCA_hwloc_base_binding_policy=""`
- ▶ Fortran derived type objects with zero-size derived type allocatable components that are used in sourced allocation or allocatable assignment may result in a runtime segmentation violation.

- ▶ When using `-stdpar` to accelerate C++ parallel algorithms, the algorithm calls cannot include virtual function calls or function calls through a function pointer, cannot use C++ exceptions, can only dereference pointers that point to the heap, and must use random access iterators (raw pointers as iterators work best).

Chapter 5. DEPRECATIONS AND CHANGES

- ▶ Support for the Ubuntu 18.04 operating system will be removed in the HPC SDK version 23.5, corresponding with the upstream end-of-life (EOL).
- ▶ Corresponding with the release of new upcoming CUDA Toolkit versions, all three bundled CUDA versions included in the HPC SDK "multi" packages will be updated.
- ▶ Support for CUDA Fortran textures is deprecated in CUDA 11.0 and 11.8, and has been removed from CUDA 12.
- ▶ `cudaDeviceSynchronize()` in CUDA Fortran has been deprecated, and support has been removed from device code. It is still supported in host code.
- ▶ Starting with the 21.11 version of the NVIDIA HPC SDK, the HPC-X package is no longer shipped as part of the packages made available for the POWER architecture.
- ▶ Starting with the 21.5 version of the NVIDIA HPC SDK, the `-cuda` option for `NVC++` and `NVFORTTRAN` no longer automatically links the NVIDIA GPU math libraries. Please refer to the `-cudalib` option.
- ▶ HPC Compiler support for the Kepler architecture of NVIDIA GPUs was deprecated starting with the 21.3 version of the NVIDIA HPC SDK.
- ▶ Support for the KNL architecture of multicore CPUs in the NVIDIA HPC SDK was removed in the HPC SDK version 21.3.

Notice

ALL NVIDIA DESIGN SPECIFICATIONS, REFERENCE BOARDS, FILES, DRAWINGS, DIAGNOSTICS, LISTS, AND OTHER DOCUMENTS (TOGETHER AND SEPARATELY, "MATERIALS") ARE BEING PROVIDED "AS IS." NVIDIA MAKES NO WARRANTIES, EXPRESSED, IMPLIED, STATUTORY, OR OTHERWISE WITH RESPECT TO THE MATERIALS, AND EXPRESSLY DISCLAIMS ALL IMPLIED WARRANTIES OF NONINFRINGEMENT, MERCHANTABILITY, AND FITNESS FOR A PARTICULAR PURPOSE.

Information furnished is believed to be accurate and reliable. However, NVIDIA Corporation assumes no responsibility for the consequences of use of such information or for any infringement of patents or other rights of third parties that may result from its use. No license is granted by implication of otherwise under any patent rights of NVIDIA Corporation. Specifications mentioned in this publication are subject to change without notice. This publication supersedes and replaces all other information previously supplied. NVIDIA Corporation products are not authorized as critical components in life support devices or systems without express written approval of NVIDIA Corporation.

Trademarks

NVIDIA, the NVIDIA logo, CUDA, CUDA-X, GPUDirect, HPC SDK, NGC, NVIDIA Volta, NVIDIA DGX, NVIDIA Nsight, NVLink, NVSwitch, and Tesla are trademarks and/or registered trademarks of NVIDIA Corporation in the U.S. and other countries. Other company and product names may be trademarks of the respective companies with which they are associated.

Copyright

© 2013-2023 NVIDIA Corporation. All rights reserved.